

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 ALAMANCE		
Rank	Cause	#
1	Poisoning, Unintentional; MVT,	30
2	Firearm, Self inflicted	22
3	Poisoning, Self inflicted	10
4	Fall, Unintentional	8
5	Firearm, Assault	5
	Other	27
<b>TOTAL</b>		<b>132</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 ALAMANCE		
Rank	Cause	#
1	Fall, Unintentional	290
2	Poisoning, Self inflicted	185
3	MVT, Unintentional	174
4	Poisoning, Unintentional	137
5	Unspecified, Unintentional	83
	Other	323
<b>TOTAL</b>		<b>1,192</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 ALAMANCE		
Rank	Cause	#
1	Fall, Unintentional	2,246
2	MVT, Unintentional	1,560
3	Unspecified, Unintentional	1,320
4	Overexertion, Unintentional	1,060
5	Cut/pierce, Unintentional	684
	Other	3,167
<b>TOTAL</b>		<b>10,037</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 ALEXANDER		
Rank	Cause	#
1	Poisoning, Unintentional	19
2	MVT, Unintentional; Firearm, Self	10
3	Poisoning, Self inflicted	4
4	Firearm, Assault; Fall, Unintentional	3
5	Suffocation, Self inflicted	2
	Other	8
<b>TOTAL</b>		<b>59</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 ALEXANDER		
Rank	Cause	#
1	Fall, Unintentional	83
2	Poisoning, Self inflicted	56
3	MVT, Unintentional	46
4	Poisoning, Unintentional	35
5	Other spec/class, Unintentional	32
	Other	132
<b>TOTAL</b>		<b>384</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 ALEXANDER		
Rank	Cause	#
1	Fall, Unintentional	970
2	MVT, Unintentional	504
3	Overexertion, Unintentional	463
4	Struck, Unintentional	306
5	Unspecified, Unintentional	263
	Other	1,064
<b>TOTAL</b>		<b>3,570</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 ALLEGHANY		
Rank	Cause	#
1	Poisoning, Self inflicted	3
2	Poisoning, Unintentional; MVT,	2
3	Unspecified, Unintentional; Pedal	1
4		
5		
	Other	0
<b>TOTAL</b>		<b>15</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 ALLEGHANY		
Rank	Cause	#
1	Fall, Unintentional	23
2	MVT, Unintentional	21
3	Unspecified, Unintentional	9
4	Fire/Burn, Unintentional	6
5	Poisoning, Unintentional;	
	Poisoning, Self inflicted	5
	Other	21
<b>TOTAL</b>		<b>90</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 ALLEGHANY		
Rank	Cause	#
1	Fall, Unintentional	539
2	Overexertion, Unintentional	245
3	MVT, Unintentional	218
4	Unspecified, Unintentional	215
5	Cut/pierce, Unintentional	207
	Other	781
<b>TOTAL</b>		<b>2,205</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 ANSON		
Rank	Cause	#
1	MVT, Unintentional	13
2	Firearm, Self inflicted	9
3	Poisoning, Unintentional	7
4	Firearm, Assault; Cut/pierce, Assault	2
5	Pedestrian,other, Unintentional; Other	0
<b>TOTAL</b>		<b>36</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 ANSON		
Rank	Cause	#
1	Fall, Unintentional	56
2	MVT, Unintentional	37
3	Other spec/class, Unintentional	19
4	Unspecified, Unintentional	18
5	Poisoning, Unintentional Other	15
		74
<b>TOTAL</b>		<b>219</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 ANSON		
Rank	Cause	#
1	Fall, Unintentional	145
2	MVT, Unintentional	118
3	Unspecified, Unintentional	96
4	Overexertion, Unintentional	86
5	Struck, Unintentional Other	67
		237
<b>TOTAL</b>		<b>749</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 ASHE		
Rank	Cause	#
1	MVT, Unintentional	12
2	Poisoning, Unintentional	8
3	Poisoning, Self inflicted	5
4	Firearm, Self inflicted	4
5	Fall, Unintentional Other	3
		7
<b>TOTAL</b>		<b>39</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 ASHE		
Rank	Cause	#
1	Fall, Unintentional	52
2	MVT, Unintentional	31
3	Poisoning, Self inflicted	21
4	Unspecified, Unintentional	18
5	Poisoning, Unintentional Other	13
		58
<b>TOTAL</b>		<b>193</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 ASHE		
Rank	Cause	#
1	Fall, Unintentional	294
2	MVT, Unintentional	132
3	Overexertion, Unintentional	121
4	Struck, Unintentional	119
5	Cut/pierce, Unintentional Other	87
		352
<b>TOTAL</b>		<b>1,105</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 AVERY		
Rank	Cause	#
1	Poisoning, Unintentional	10
2	Firearm, Self inflicted	7
3	MVT, Unintentional	2
4	Poisoning, Self inflicted; Pedal	1
5	Other	0
<b>TOTAL</b>		<b>22</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 AVERY		
Rank	Cause	#
1	Fall, Unintentional	55
2	Poisoning, Self inflicted	20
3	Poisoning, Unintentional	17
4	MVT, Unintentional	13
5	Unspecified, Unintentional Other	9
		33
<b>TOTAL</b>		<b>147</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 AVERY		
Rank	Cause	#
1	Fall, Unintentional	440
2	Cut/pierce, Unintentional	178
3	Overexertion, Unintentional	173
4	MVT, Unintentional	147
5	Struck, Unintentional Other	125
		343
<b>TOTAL</b>		<b>1,406</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 BEAUFORT		
Rank	Cause	#
1	MVT, Unintentional	14
2	Poisoning, Unintentional	8
3	Firearm, Self inflicted	5
4	Transport,other, Unintentional; Suffocation, Self inflicted; Poisoning, Self inflicted; Other spec/NEC, Assault; Other land transport, Unintentional; Machinery, Unintentional; Firearm, Unintentional; Firearm, Assault; Fire/Burn, Unintentional; Fire/Burn,	2
5	Assault; Cut/pierce, Assault Other	1 0
<b>TOTAL</b>		<b>45</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 BEAUFORT		
Rank	Cause	#
1	Fall, Unintentional	80
2	Poisoning, Self inflicted	51
3	MVT, Unintentional	42
4	Other spec/class, Unintentional	35
5	Poisoning, Unintentional Other	29 138
<b>TOTAL</b>		<b>375</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 BEAUFORT		
Rank	Cause	#
1	Fall, Unintentional	1,290
2	Unspecified, Unintentional	714
3	MVT, Unintentional	691
4	Overexertion, Unintentional	612
5	Cut/pierce, Unintentional Other	421 1,841
<b>TOTAL</b>		<b>5,569</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 BERTIE		
Rank	Cause	#
1	MVT, Unintentional	11
2	Poisoning, Unintentional	3
3	Firearm, Self inflicted; Firearm,	2
4	Pedestrian,other, Unintentional; Fall,	1
5	Other	0
<b>TOTAL</b>		<b>21</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 BERTIE		
Rank	Cause	#
1	Fall, Unintentional	33
2	MVT, Unintentional	29
3	Unspecified, Unintentional;	14
4	Other spec/class, Unintentional	11
5	Poisoning, Unintentional Other	10 38
<b>TOTAL</b>		<b>149</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 BERTIE		
Rank	Cause	#
1	MVT, Unintentional	283
2	Fall, Unintentional	275
3	Unspecified, Unintentional	128
4	Overexertion, Unintentional	116
5	Struck, Unintentional Other	114 382
<b>TOTAL</b>		<b>1,298</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 BLADEN		
Rank	Cause	#
1	MVT, Unintentional	17
2	Poisoning, Unintentional	6
3	Firearm, Self inflicted	5
4	Firearm, Assault	4
5	Suffocation, Unintentional	3
	Other	14
<b>TOTAL</b>		<b>49</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 BLADEN		
Rank	Cause	#
1	MVT, Unintentional	50
2	Fall, Unintentional	40
3	Unspecified, Unintentional	29
4	Other spec/class, Unintentional	22
5	Poisoning, Self inflicted	15
	Other	81
<b>TOTAL</b>		<b>237</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 BLADEN		
Rank	Cause	#
1	Fall, Unintentional	765
2	MVT, Unintentional	591
3	Unspecified, Unintentional	584
4	Overexertion, Unintentional	394
5	Struck, Unintentional	274
	Other	1,029
<b>TOTAL</b>		<b>3,637</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 BRUNSWICK		
Rank	Cause	#
1	MVT, Unintentional	34
2	Poisoning, Unintentional	26
3	Firearm, Self inflicted	12
4	Suffocation, Self inflicted	8
5	Poisoning, Self inflicted; Fire/Burn, Unintentional	6
	Other	19
<b>TOTAL</b>		<b>111</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 BRUNSWICK		
Rank	Cause	#
1	Fall, Unintentional	218
2	MVT, Unintentional	103
3	Poisoning, Self inflicted	97
4	Poisoning, Unintentional	64
5	Unspecified, Unintentional; Other spec/class, Unintentional	61
	Other	196
<b>TOTAL</b>		<b>800</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 BRUNSWICK		
Rank	Cause	#
1	Fall, Unintentional	2,142
2	MVT, Unintentional	1,084
3	Overexertion, Unintentional	1,044
4	Struck, Unintentional	716
5	Unspecified, Unintentional	543
	Other	2,293
<b>TOTAL</b>		<b>7,822</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 BUNCOMBE		
Rank	Cause	#
1	Poisoning, Unintentional	42
2	MVT, Unintentional	37
3	Firearm, Self inflicted	30
4	Suffocation, Self inflicted	20
5	Fall, Unintentional	16
	Other	61
<b>TOTAL</b>		<b>206</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 BUNCOMBE		
Rank	Cause	#
1	Fall, Unintentional	469
2	MVT, Unintentional	201
3	Poisoning, Self inflicted	182
4	Unspecified, Unintentional	140
5	Poisoning, Unintentional	128
	Other	488
<b>TOTAL</b>		<b>1,608</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 BUNCOMBE		
Rank	Cause	#
1	Fall, Unintentional	1,790
2	MVT, Unintentional	1,203
3	Unspecified, Unintentional	469
4	Struck, Unintentional	388
5	Overexertion, Unintentional	386
	Other	2,148
<b>TOTAL</b>		<b>6,384</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 BURKE		
Rank	Cause	#
1	Poisoning, Unintentional	42
2	MVT, Unintentional	25
3	Firearm, Self inflicted	17
4	Firearm, Assault	6
5	Suffocation, Self inflicted; Poisoning, Self inflicted	4
	Other	21
<b>TOTAL</b>		<b>119</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 BURKE		
Rank	Cause	#
1	Fall, Unintentional	193
2	Poisoning, Self inflicted	165
3	MVT, Unintentional	89
4	Poisoning, Unintentional Other spec/class, Unintentional	63
5	Other	51
	Other	252
<b>TOTAL</b>		<b>813</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 BURKE		
Rank	Cause	#
1	Fall, Unintentional	2,570
2	MVT, Unintentional	1,124
3	Overexertion, Unintentional	923
4	Unspecified, Unintentional	842
5	Struck, Unintentional	752
	Other	3,110
<b>TOTAL</b>		<b>9,321</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 CABARRUS		
Rank	Cause	#
1	Poisoning, Unintentional	43
2	MVT, Unintentional	34
3	Firearm, Self inflicted	17
4	Firearm, Assault; Fall, Unintentional	9
5	Suffocation, Self inflicted	8
	Other	37
<b>TOTAL</b>		<b>157</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 CABARRUS		
Rank	Cause	#
1	Fall, Unintentional	442
2	MVT, Unintentional	195
3	Poisoning, Self inflicted	159
4	Poisoning, Unintentional	155
5	Unspecified, Unintentional	129
	Other	422
<b>TOTAL</b>		<b>1,502</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 CABARRUS		
Rank	Cause	#
1	Fall, Unintentional	3,268
2	MVT, Unintentional	1,879
3	Overexertion, Unintentional	1,503
4	Struck, Unintentional	1,244
5	Unspecified, Unintentional	1,231
	Other	4,163
<b>TOTAL</b>		<b>13,288</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 CALDWELL		
Rank	Cause	#
1	Poisoning, Unintentional	25
2	MVT, Unintentional	19
3	Firearm, Self inflicted	10
4	Poisoning, Self inflicted	7
5	Firearm, Assault; Fall, Unintentional	5
	Other	22
<b>TOTAL</b>		<b>93</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 CALDWELL		
Rank	Cause	#
1	Fall, Unintentional	207
2	Poisoning, Self inflicted	116
3	MVT, Unintentional	89
4	Poisoning, Unintentional	52
5	Unspecified, Unintentional	43
	Other	202
<b>TOTAL</b>		<b>709</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 CALDWELL		
Rank	Cause	#
1	Fall, Unintentional	2,229
2	MVT, Unintentional	1,048
3	Overexertion, Unintentional	735
4	Struck, Unintentional	649
5	Cut/pierce, Unintentional	566
	Other	2,393
<b>TOTAL</b>		<b>7,620</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 CAMDEN		
Rank	Cause	#
1	Poisoning, Unintentional	4
2	Poisoning, Self inflicted; MVT,	2
3	Unspecified, Unintentional; Firearm,	1
4		
5	Other	0
<b>TOTAL</b>		<b>12</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 CAMDEN		
Rank	Cause	#
1	Fall, Unintentional	8
2	Struck, Unintentional	3
3	Poisoning, Unintentional; Unspecified, Unintentional; Struck, Assault; Poisoning, Undetermined; Pedal cyclist,other, Unintentional; Cut/pierce, Unintentional; Cut/pierce, Self inflicted	1
4		
5	Other	0
<b>TOTAL</b>		<b>23</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 CAMDEN		
Rank	Cause	#
1	MVT, Unintentional	38
2	Fall, Unintentional	22
3	Unspecified, Unintentional; Struck, Unintentional	9
4		
5	Overexertion, Unintentional	8
	Other	28
<b>TOTAL</b>		<b>127</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 CARTERET		
Rank	Cause	#
1	Poisoning, Unintentional	30
2	MVT, Unintentional	19
3	Firearm, Self inflicted	10
4	Poisoning, Self inflicted; Drowning,	5
5	Suffocation, Self inflicted	4
	Other	13
<b>TOTAL</b>		<b>86</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 CARTERET		
Rank	Cause	#
1	Fall, Unintentional	158
2	Poisoning, Self inflicted	85
3	MVT, Unintentional	67
4	Poisoning, Unintentional	53
5	Unspecified, Unintentional	49
	Other	215
<b>TOTAL</b>		<b>627</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 CARTERET		
Rank	Cause	#
1	Fall, Unintentional	1,946
2	Overexertion, Unintentional	1,128
3	MVT, Unintentional	690
4	Struck, Unintentional	617
5	Unspecified, Unintentional	580
	Other	2,350
<b>TOTAL</b>		<b>7,311</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 CASWELL		
Rank	Cause	#
1	MVT, Unintentional	9
2	Poisoning, Unintentional	6
3	Firearm, Self inflicted	4
4	Firearm, Assault	3
	Other land transport, Unintentional; Fire/Burn, Unintentional	2
5	Other	3
<b>TOTAL</b>		<b>29</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 CASWELL		
Rank	Cause	#
1	MVT, Unintentional	28
2	Fall, Unintentional	18
3	Other spec/class, Unintentional	17
4	Unspecified, Unintentional	9
	Fire/Burn, Unintentional	7
5	Other	33
<b>TOTAL</b>		<b>112</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 CASWELL		
Rank	Cause	#
1	Fall, Unintentional	186
2	Overexertion, Unintentional	143
3	MVT, Unintentional	141
4	Unspecified, Unintentional	102
	Cut/pierce, Unintentional	89
5	Other	359
<b>TOTAL</b>		<b>1,020</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 CATAWBA		
Rank	Cause	#
1	Poisoning, Unintentional	49
2	MVT, Unintentional	39
3	Firearm, Self inflicted	27
4	Firearm, Assault	13
5	Poisoning, Self inflicted	11
	Other	46
<b>TOTAL</b>		<b>185</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 CATAWBA		
Rank	Cause	#
1	Fall, Unintentional	249
2	Poisoning, Self inflicted	241
3	MVT, Unintentional	151
4	Other spec/class, Unintentional	87
5	Poisoning, Unintentional	84
	Other	340
<b>TOTAL</b>		<b>1,152</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 CATAWBA		
Rank	Cause	#
1	Fall, Unintentional	4,202
2	MVT, Unintentional	2,239
3	Overexertion, Unintentional	1,931
4	Unspecified, Unintentional	1,525
5	Struck, Unintentional	1,356
	Other	4,625
<b>TOTAL</b>		<b>15,878</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 CHATHAM		
Rank	Cause	#
1	MVT, Unintentional	14
2	Firearm, Self inflicted; Firearm,	7
3	Poisoning, Unintentional	4
4	Fall, Unintentional	2
5	Unspecified, Unintentional;	1
	Other	0
<b>TOTAL</b>		<b>43</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 CHATHAM		
Rank	Cause	#
1	Fall, Unintentional	78
2	MVT, Unintentional	73
3	Other spec/class, Unintentional	38
4	Poisoning, Self inflicted	31
5	Poisoning, Unintentional	30
	Other	126
<b>TOTAL</b>		<b>376</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 CHATHAM		
Rank	Cause	#
1	Fall, Unintentional	586
2	MVT, Unintentional	303
3	Cut/pierce, Unintentional	299
4	Overexertion, Unintentional	286
5	Struck, Unintentional	210
	Other	853
<b>TOTAL</b>		<b>2,537</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.



Leading Causes of Injury Death AGES 35-64: 2007 to 2009 CHEROKEE		
Rank	Cause	#
1	Poisoning, Unintentional	9
2	Poisoning, Self inflicted	5
3	Suffocation, Self inflicted; MVT,	3
4	Firearm, Self inflicted	2
	Unspecified, Assault; Suffocation, Assault; Other spec/NEC, Self inflicted; Firearm, Unintentional; Fire/Burn, Unintentional; Fall, Unintentional	1
5	Other	0
<b>TOTAL</b>		<b>28</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 CHEROKEE		
Rank	Cause	#
1	Fall, Unintentional	62
2	Poisoning, Unintentional	48
3	Poisoning, Self inflicted	40
4	Unspecified, Unintentional	15
	Natural/Environ, Unintentional; MVT, Unintentional	10
5	Other	37
<b>TOTAL</b>		<b>222</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 CHEROKEE		
Rank	Cause	#
1	Fall, Unintentional	321
2	MVT, Unintentional	167
3	Unspecified, Unintentional	81
4	Struck, Unintentional	66
	Overexertion, Unintentional	46
5	Other	328
<b>TOTAL</b>		<b>1,009</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 CHOWAN		
Rank	Cause	#
1	MVT, Unintentional	3
2	Firearm, Assault	2
3	Poisoning, Unintentional; Poisoning,	1
4		
5	Other	0
<b>TOTAL</b>		<b>10</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 CHOWAN		
Rank	Cause	#
1	Fall, Unintentional	31
2	Poisoning, Unintentional	9
3	MVT, Unintentional	8
4	Poisoning, Self inflicted	7
5	Unspecified, Unintentional	4
	Other	22
<b>TOTAL</b>		<b>81</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 CHOWAN		
Rank	Cause	#
1	Fall, Unintentional	241
2	Unspecified, Unintentional	167
3	MVT, Unintentional	139
4	Overexertion, Unintentional	116
5	Struck, Unintentional	109
	Other	330
<b>TOTAL</b>		<b>1,102</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 CLAY		
Rank	Cause	#
1	Poisoning, Unintentional	5
2	MVT, Unintentional	4
3	Poisoning, Self inflicted; Firearm,	2
4	Unspecified, Unintentional;	1
5	Other	0
<b>TOTAL</b>		<b>20</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 CLAY		
Rank	Cause	#
1	Fall, Unintentional	18
2	Unspecified, Unintentional	8
3	MVT, Unintentional	7
4	Poisoning, Self inflicted; Other	6
5	Natural/Environ, Unintentional	3
	Other	12
<b>TOTAL</b>		<b>60</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 CLAY		
Rank	Cause	#
1	Fall, Unintentional	79
2	MVT, Unintentional	30
3	Unspecified, Unintentional	19
4	Overexertion, Unintentional	13
5	Fire/Burn, Unintentional	11
	Other	72
<b>TOTAL</b>		<b>224</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 CLEVELAND		
Rank	Cause	#
1	MVT, Unintentional	31
2	Poisoning, Unintentional	29
3	Firearm, Self inflicted	22
4	Poisoning, Self inflicted	10
5	Fall, Unintentional	6
	Other	28
<b>TOTAL</b>		<b>126</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 CLEVELAND		
Rank	Cause	#
1	Fall, Unintentional	220
2	MVT, Unintentional	125
3	Poisoning, Self inflicted	90
4	Poisoning, Unintentional	81
5	Other spec/class, Unintentional	68
	Other	251
<b>TOTAL</b>		<b>835</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 CLEVELAND		
Rank	Cause	#
1	Fall, Unintentional	2,865
2	Overexertion, Unintentional	1,706
3	MVT, Unintentional	1,585
4	Struck, Unintentional	963
5	Unspecified, Unintentional	843
	Other	3,857
<b>TOTAL</b>		<b>11,819</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 COLUMBUS		
Rank	Cause	#
1	Poisoning, Unintentional	23
2	MVT, Unintentional	21
3	Firearm, Self inflicted	9
4	Firearm, Assault	8
5	Poisoning, Self inflicted	3
	Other	12
<b>TOTAL</b>		<b>76</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 COLUMBUS		
Rank	Cause	#
1	Fall, Unintentional	105
2	MVT, Unintentional	78
3	Unspecified, Unintentional	53
4	Other spec/class, Unintentional	50
5	Poisoning, Unintentional	47
	Other	170
<b>TOTAL</b>		<b>503</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 COLUMBUS		
Rank	Cause	#
1	Fall, Unintentional	1,388
2	MVT, Unintentional	1,134
3	Overexertion, Unintentional	668
4	Struck, Unintentional	535
5	Unspecified, Unintentional	441
	Other	1,673
<b>TOTAL</b>		<b>5,839</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 CRAVEN		
Rank	Cause	#
1	Poisoning, Unintentional	22
	MVT, Unintentional	14
2		
3	Fall, Unintentional	7
4	Firearm, Self inflicted; Firearm,	5
5	Drowning, Unintentional	4
	Other	19
<b>TOTAL</b>		<b>76</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 CRAVEN		
Rank	Cause	#
1	Fall, Unintentional	273
	Poisoning, Self inflicted; MVT,	109
2	Unintentional	
3	Poisoning, Unintentional	104
4	Unspecified, Unintentional	73
5	Other spec/class, Unintentional	58
	Other	231
<b>TOTAL</b>		<b>957</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 CRAVEN		
Rank	Cause	#
1	Fall, Unintentional	1,753
	Overexertion, Unintentional	1,495
2		
3	MVT, Unintentional	980
4	Unspecified, Unintentional	912
5	Struck, Unintentional	819
	Other	2,668
<b>TOTAL</b>		<b>8,627</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 CUMBERLAND		
Rank	Cause	#
1	MVT, Unintentional	57
2	Poisoning, Unintentional	44
3	Firearm, Self inflicted	27
4	Firearm, Assault	19
5	Poisoning, Self inflicted	15
	Other	67
<b>TOTAL</b>		<b>229</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 CUMBERLAND		
Rank	Cause	#
1	Fall, Unintentional	417
2	MVT, Unintentional	324
3	Poisoning, Self inflicted	265
4	Unspecified, Unintentional	218
5	Poisoning, Unintentional	200
	Other	785
<b>TOTAL</b>		<b>2,209</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 CUMBERLAND		
Rank	Cause	#
1	MVT, Unintentional	3,251
2	Fall, Unintentional	3,054
3	Unspecified, Unintentional	1,761
4	Overexertion, Unintentional	1,480
5	Struck, Unintentional	1,022
	Other	4,587
<b>TOTAL</b>		<b>15,155</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 CURRITUCK		
Rank	Cause	#
1	MVT, Unintentional	9
2	Firearm, Self inflicted	5
3	Poisoning, Unintentional	3
4	Poisoning, Self inflicted; Fire/Burn, Poisoning, Undetermined;	2
	Machinery, Unintentional; Firearm, Assault	1
5	Other	0
<b>TOTAL</b>		<b>24</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 CURRITUCK		
Rank	Cause	#
1	Fall, Unintentional	16
2	Poisoning, Self inflicted	7
3	Poisoning, Unintentional	4
4	Poisoning, Undetermined; Other Unspecified, Unintentional; Struck, Unintentional; MVT, Unintentional; Cut/pierce, Self inflicted	3
		2
5	Other	4
<b>TOTAL</b>		<b>45</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 CURRITUCK		
Rank	Cause	#
1	Fall, Unintentional	99
2	MVT, Unintentional	54
3	Overexertion, Unintentional	38
4	Unspecified, Unintentional; Struck, Other spec/class, Unintentional; Natural/Environ, Unintentional	28
		19
5	Other	54
<b>TOTAL</b>		<b>367</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 DARE		
Rank	Cause	#
1	Poisoning, Unintentional; Firearm,	11
2	MVT, Unintentional	5
3	Poisoning, Self inflicted; Fall,	3
4	Suffocation, Self inflicted; Firearm,	1
5	Other	0
<b>TOTAL</b>		<b>37</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 DARE		
Rank	Cause	#
1	Fall, Unintentional	28
2	Poisoning, Self inflicted	7
3	MVT, Unintentional	4
4	Unspecified, Unintentional; Struck, Unintentional; Struck, Assault; Overexertion, Unintentional; Other spec/notclass, Unintentional;	3
		2
5	Natural/Environ, Unintentional Other	7
<b>TOTAL</b>		<b>65</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 DARE		
Rank	Cause	#
1	Fall, Unintentional	516
2	Overexertion, Unintentional	217
3	Cut/pierce, Unintentional	208
4	Struck, Unintentional; MVT, Unspecified, Unintentional	167
		114
5	Other	517
<b>TOTAL</b>		<b>1,906</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 DAVIDSON		
Rank	Cause	#
1	MVT, Unintentional	43
2	Poisoning, Unintentional	35
3	Firearm, Self inflicted	20
4	Poisoning, Self inflicted	8
5	Suffocation, Self inflicted	7
	Other	36
<b>TOTAL</b>		<b>149</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 DAVIDSON		
Rank	Cause	#
1	Fall, Unintentional	236
2	MVT, Unintentional	153
3	Poisoning, Self inflicted	121
4	Unspecified, Unintentional	95
5	Poisoning, Unintentional	89
	Other	342
<b>TOTAL</b>		<b>1,036</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 DAVIDSON		
Rank	Cause	#
1	Fall, Unintentional	3,608
2	Overexertion, Unintentional	1,995
3	MVT, Unintentional	1,539
4	Unspecified, Unintentional	1,253
5	Struck, Unintentional	1,235
	Other	4,370
<b>TOTAL</b>		<b>14,000</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 DAVIE		
Rank	Cause	#
1	MVT, Unintentional	10
2	Poisoning, Unintentional; Firearm,	9
3	Suffocation, Self inflicted; Poisoning,	2
4	Suffocation, Unintentional;	1
5		
	Other	0
<b>TOTAL</b>		<b>39</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 DAVIE		
Rank	Cause	#
1	Fall, Unintentional	74
2	MVT, Unintentional	41
3	Poisoning, Self inflicted	28
4	Poisoning, Unintentional	26
5	Unspecified, Unintentional	23
	Other	91
<b>TOTAL</b>		<b>283</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 DAVIE		
Rank	Cause	#
1	Fall, Unintentional	507
2	MVT, Unintentional	304
3	Overexertion, Unintentional	191
4	Unspecified, Unintentional	182
5	Struck, Unintentional	153
	Other	502
<b>TOTAL</b>		<b>1,839</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 DUPLIN		
Rank	Cause	#
1	MVT, Unintentional	21
2	Firearm, Self inflicted	9
	Poisoning, Unintentional	4
3		
4	Suffocation, Unintentional;	3
	Suffocation, Self inflicted; Machinery,	2
	Unintentional; Fire/Burn,	
	Unintentional; Cut/pierce, Assault	
5		
	Other	3
<b>TOTAL</b>		<b>57</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 DUPLIN		
Rank	Cause	#
1	Fall, Unintentional	85
2	MVT, Unintentional	67
	Unspecified, Unintentional;	28
3	Poisoning, Self inflicted	
4	Other spec/class, Unintentional	18
	Poisoning, Unintentional;	14
	Poisoning, Undetermined	
5		
	Other	98
<b>TOTAL</b>		<b>352</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 DUPLIN		
Rank	Cause	#
1	Fall, Unintentional	954
2	MVT, Unintentional	765
	Unspecified, Unintentional	453
3		
4	Overexertion, Unintentional	399
	Cut/pierce, Unintentional	231
5		
	Other	1,108
<b>TOTAL</b>		<b>3,910</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 DURHAM		
Rank	Cause	#
1	Poisoning, Unintentional	37
2	MVT, Unintentional	32
3	Firearm, Assault	20
4	Firearm, Self inflicted	15
5	Fall, Unintentional	8
	Other	50
<b>TOTAL</b>		<b>162</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 DURHAM		
Rank	Cause	#
1	Fall, Unintentional	367
2	Poisoning, Self inflicted	238
3	Poisoning, Unintentional	227
4	MVT, Unintentional	216
5	Other spec/class, Unintentional	162
	Other	656
<b>TOTAL</b>		<b>1,866</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 DURHAM		
Rank	Cause	#
1	Fall, Unintentional	3,176
2	MVT, Unintentional	2,986
3	Overexertion, Unintentional	2,784
4	Unspecified, Unintentional	1,578
5	Struck, Unintentional	1,576
	Other	4,669
<b>TOTAL</b>		<b>16,769</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 EDGECOMBE		
Rank	Cause	#
1	MVT, Unintentional	12
2	Poisoning, Unintentional	8
3	Firearm, Self inflicted; Firearm,	6
4	Fall, Unintentional	5
5	Fire/Burn, Unintentional; Drowning, Unintentional	2
	Other	10
<b>TOTAL</b>		<b>51</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 EDGECOMBE		
Rank	Cause	#
1	Fall, Unintentional	94
2	MVT, Unintentional	64
3	Poisoning, Self inflicted	43
4	Unspecified, Unintentional Poisoning, Unintentional	37
5		36
	Other	160
<b>TOTAL</b>		<b>434</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 EDGECOMBE		
Rank	Cause	#
1	Fall, Unintentional	509
2	MVT, Unintentional	404
3	Unspecified, Unintentional	268
4	Overexertion, Unintentional Struck, Unintentional	251
5		186
	Other	889
<b>TOTAL</b>		<b>2,507</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 FORSYTH		
Rank	Cause	#
1	Poisoning, Unintentional	65
2	Firearm, Self inflicted	43
3	MVT, Unintentional	42
4	Poisoning, Self inflicted	22
5	Firearm, Assault	17
	Other	81
<b>TOTAL</b>		<b>270</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 FORSYTH		
Rank	Cause	#
1	Fall, Unintentional	716
2	Poisoning, Self inflicted	386
3	MVT, Unintentional	359
4	Poisoning, Undetermined	234
5	Unspecified, Unintentional	215
	Other	958
<b>TOTAL</b>		<b>2,868</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 FORSYTH		
Rank	Cause	#
1	Fall, Unintentional	6,333
2	MVT, Unintentional	3,634
3	Unspecified, Unintentional	3,302
4	Overexertion, Unintentional	3,180
5	Struck, Unintentional	2,174
	Other	7,312
<b>TOTAL</b>		<b>25,935</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 FRANKLIN		
Rank	Cause	#
1	MVT, Unintentional	21
2	Poisoning, Unintentional	13
3	Firearm, Self inflicted	10
4	Suffocation, Self inflicted	8
5	Firearm, Assault	4
	Other	14
<b>TOTAL</b>		<b>70</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 FRANKLIN		
Rank	Cause	#
1	Fall, Unintentional	112
2	MVT, Unintentional	70
3	Poisoning, Unintentional	38
4	Poisoning, Self inflicted	37
5	Other spec/class, Unintentional	33
	Other	151
<b>TOTAL</b>		<b>441</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 FRANKLIN		
Rank	Cause	#
1	Fall, Unintentional	780
2	MVT, Unintentional	613
3	Overexertion, Unintentional	403
4	Unspecified, Unintentional	356
5	Struck, Unintentional	308
	Other	1,098
<b>TOTAL</b>		<b>3,558</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 GASTON		
Rank	Cause	#
1	Poisoning, Unintentional	83
2	Firearm, Self inflicted	43
3	MVT, Unintentional	37
4	Poisoning, Self inflicted	16
5	Firearm, Assault	9
	Other	47
<b>TOTAL</b>		<b>235</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 GASTON		
Rank	Cause	#
1	Fall, Unintentional	476
2	Poisoning, Self inflicted	304
3	MVT, Unintentional	279
4	Poisoning, Unintentional	216
5	Unspecified, Unintentional	164
	Other	638
<b>TOTAL</b>		<b>2,077</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 GASTON		
Rank	Cause	#
1	Fall, Unintentional	2,413
2	MVT, Unintentional	1,468
3	Overexertion, Unintentional	1,251
4	Unspecified, Unintentional	887
5	Struck, Unintentional	789
	Other	3,182
<b>TOTAL</b>		<b>9,990</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 GATES		
Rank	Cause	#
1	MVT, Unintentional	8
2	Suffocation, Assault; Poisoning,	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>15</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 GATES		
Rank	Cause	#
1	Fall, Unintentional	11
2	MVT, Unintentional	5
3	Poisoning, Self inflicted	3
	Unspecified, Unintentional;	2
	Poisoning, Unintentional; Other	
4	spec/class, Unintentional	
	Transport,other, Unintentional;	1
	Suffocation, Unintentional;	
5	Pedestrian,other, Unintentional	
	Other	0
<b>TOTAL</b>		<b>28</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 GATES		
Rank	Cause	#
1	MVT, Unintentional; Fall,	55
2	Struck, Unintentional	30
3	Overexertion, Unintentional	26
	Cut/pierce, Unintentional	24
4		
	Unspecified, Unintentional	13
5		
	Other	59
<b>TOTAL</b>		<b>262</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.



Leading Causes of Injury Death AGES 35-64: 2007 to 2009 GRAHAM		
Rank	Cause	#
1	Poisoning, Unintentional	4
2	MVT, Unintentional; Firearm, Self	2
3	Unspecified, Assault; Struck,	1
4		
5		
	Other	0
<b>TOTAL</b>		<b>14</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 GRAHAM		
Rank	Cause	#
1	Fall, Unintentional	18
2	Poisoning, Unintentional	16
3	Poisoning, Self inflicted	11
4	Unspecified, Unintentional	10
5	MVT, Unintentional	6
	Other	11
<b>TOTAL</b>		<b>72</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 GRAHAM		
Rank	Cause	#
1	Fall, Unintentional	122
2	MVT, Unintentional	53
3	Overexertion, Unintentional	46
4	Struck, Unintentional	42
5	Other spec/class, Unintentional	38
	Other	208
<b>TOTAL</b>		<b>509</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 GRANVILLE		
Rank	Cause	#
1	MVT, Unintentional	14
2	Poisoning, Unintentional	13
3	Firearm, Self inflicted	7
4	Fall, Unintentional	4
	Suffocation, Self inflicted; Poisoning, Self inflicted; Firearm, Unintentional	2
5		
	Other	9
<b>TOTAL</b>		<b>53</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 GRANVILLE		
Rank	Cause	#
1	Fall, Unintentional	104
2	MVT, Unintentional	65
3	Poisoning, Self inflicted	48
4	Other spec/class, Unintentional Unspecified, Unintentional	36
		27
5		
	Other	112
<b>TOTAL</b>		<b>392</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 GRANVILLE		
Rank	Cause	#
1	Fall, Unintentional	1,007
2	Overexertion, Unintentional	869
3	MVT, Unintentional	612
4	Struck, Unintentional Cut/pierce, Unintentional	388
		317
5		
	Other	1,217
<b>TOTAL</b>		<b>4,410</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 GREENE		
Rank	Cause	#
1	Suffocation, Self inflicted; MVT,	2
2	Suffocation, Unintentional;	1
3		
4		
5		
	Other	0
<b>TOTAL</b>		<b>11</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 GREENE		
Rank	Cause	#
1	Fall, Unintentional	26
2	MVT, Unintentional	18
3	Unspecified, Unintentional	14
4	Poisoning, Self inflicted	13
5	Poisoning, Unintentional	12
	Other	39
<b>TOTAL</b>		<b>122</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 GREENE		
Rank	Cause	#
1	Fall, Unintentional	226
2	MVT, Unintentional	160
3	Overexertion, Unintentional	148
4	Unspecified, Unintentional	99
5	Cut/pierce, Unintentional	80
	Other	377
<b>TOTAL</b>		<b>1,090</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 GUILFORD		
Rank	Cause	#
1	MVT, Unintentional	76
2	Poisoning, Unintentional	74
3	Firearm, Self inflicted	42
4	Fall, Unintentional	21
	Suffocation, Self inflicted; Poisoning,	19
5	Self inflicted	
	Other	93
<b>TOTAL</b>		<b>344</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 GUILFORD		
Rank	Cause	#
1	Fall, Unintentional	1,010
2	Poisoning, Self inflicted	586
3	MVT, Unintentional	521
4	Poisoning, Unintentional	300
	Unspecified, Unintentional	264
5		
	Other	1,246
<b>TOTAL</b>		<b>3,927</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 GUILFORD		
Rank	Cause	#
1	Fall, Unintentional	3,816
2	MVT, Unintentional	2,354
3	Unspecified, Unintentional	1,667
4	Overexertion, Unintentional	1,301
	Struck, Unintentional	1,150
5		
	Other	5,457
<b>TOTAL</b>		<b>15,745</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 HALIFAX		
Rank	Cause	#
1	MVT, Unintentional	13
2	Firearm, Self inflicted	6
3	Poisoning, Unintentional	5
4	Firearm, Assault	4
	Suffocation, Unintentional; Poisoning, Self inflicted; Pedestrian,other, Unintentional; Machinery, Unintentional; Fall, Unintentional	2
5	Other	7
<b>TOTAL</b>		<b>45</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 HALIFAX		
Rank	Cause	#
1	Fall, Unintentional	147
2	Poisoning, Self inflicted	74
3	MVT, Unintentional	68
4	Other spec/class, Unintentional Unspecified, Unintentional	37 34
5	Other	217
<b>TOTAL</b>		<b>577</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 HALIFAX		
Rank	Cause	#
1	Fall, Unintentional	1,283
2	MVT, Unintentional	763
3	Unspecified, Unintentional	752
4	Struck, Unintentional Overexertion, Unintentional	471 392
5	Other	1,826
<b>TOTAL</b>		<b>5,487</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 HARNETT		
Rank	Cause	#
1	MVT, Unintentional	27
2	Poisoning, Unintentional	20
3	Firearm, Self inflicted	9
4	Poisoning, Self inflicted	6
5	Firearm, Assault	5
	Other	20
<b>TOTAL</b>		<b>87</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 HARNETT		
Rank	Cause	#
1	Fall, Unintentional	200
2	MVT, Unintentional	118
3	Poisoning, Self inflicted	93
4	Poisoning, Unintentional	87
5	Other spec/class, Unintentional Other	82 325
<b>TOTAL</b>		<b>905</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 HARNETT		
Rank	Cause	#
1	Fall, Unintentional	1,640
2	MVT, Unintentional	1,242
3	Unspecified, Unintentional	800
4	Overexertion, Unintentional	717
5	Struck, Unintentional Other	564 2,365
<b>TOTAL</b>		<b>7,328</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 HAYWOOD		
Rank	Cause	#
1	Poisoning, Unintentional	19
2	MVT, Unintentional	11
3	Firearm, Self inflicted	8
4	Suffocation, Self inflicted; Fire/Burn,	4
5	Poisoning, Self inflicted	3
	Other	11
<b>TOTAL</b>		<b>60</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 HAYWOOD		
Rank	Cause	#
1	Fall, Unintentional	174
2	MVT, Unintentional	68
3	Poisoning, Self inflicted	46
4	Other spec/class, Unintentional	42
5	Unspecified, Unintentional	40
	Other	189
<b>TOTAL</b>		<b>559</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 HAYWOOD		
Rank	Cause	#
1	Fall, Unintentional	1,623
2	Unspecified, Unintentional	710
3	MVT, Unintentional	597
4	Overexertion, Unintentional	547
5	Struck, Unintentional	489
	Other	1,914
<b>TOTAL</b>		<b>5,880</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 HENDERSON		
Rank	Cause	#
1	Poisoning, Unintentional	21
2	Firearm, Self inflicted	13
3	MVT, Unintentional	8
4	Suffocation, Self inflicted	5
	Poisoning, Self inflicted; Fall,	4
5	Unintentional	
	Other	13
<b>TOTAL</b>		<b>68</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 HENDERSON		
Rank	Cause	#
1	Fall, Unintentional	209
2	Poisoning, Self inflicted	129
3	Poisoning, Unintentional	102
4	MVT, Unintentional	58
	Unspecified, Unintentional	41
5		
	Other	225
<b>TOTAL</b>		<b>764</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 HENDERSON		
Rank	Cause	#
1	Fall, Unintentional	1,417
2	MVT, Unintentional	705
3	Unspecified, Unintentional	473
4	Overexertion, Unintentional	416
	Struck, Unintentional	335
5		
	Other	1,318
<b>TOTAL</b>		<b>4,664</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 HERTFORD		
Rank	Cause	#
1	MVT, Unintentional	9
2	Poisoning, Unintentional	3
3	Firearm, Assault	2
4	Suffocation, Self inflicted;	1
5	Other	0
<b>TOTAL</b>		<b>19</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 HERTFORD		
Rank	Cause	#
1	Fall, Unintentional	43
2	MVT, Unintentional	28
3	Unspecified, Unintentional	13
4	Poisoning, Unintentional	12
	Poisoning, Self inflicted; Other	11
5	spec/class, Unintentional	30
	Other	30
<b>TOTAL</b>		<b>148</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 HERTFORD		
Rank	Cause	#
1	Fall, Unintentional	389
2	MVT, Unintentional	317
3	Overexertion, Unintentional	139
4	Cut/pierce, Unintentional	138
	Struck, Unintentional	115
5	Other	370
<b>TOTAL</b>		<b>1,468</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 HOKE		
Rank	Cause	#
1	MVT, Unintentional	17
2	Poisoning, Unintentional	7
3	Unspecified, Unintentional;	1
4		
5	Other	0
<b>TOTAL</b>		<b>32</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 HOKE		
Rank	Cause	#
1	Fall, Unintentional	54
2	MVT, Unintentional	37
3	Unspecified, Unintentional	26
	Poisoning, Unintentional;	18
4	Poisoning, Self inflicted	
5	Other spec/class, Unintentional	13
	Other	61
<b>TOTAL</b>		<b>227</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 HOKE		
Rank	Cause	#
1	MVT, Unintentional	392
2	Fall, Unintentional	389
3	Overexertion, Unintentional	154
	Unspecified, Unintentional	149
4		
5	Struck, Unintentional	112
	Other	444
<b>TOTAL</b>		<b>1,640</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 HYDE		
Rank	Cause	#
1	Poisoning, Unintentional; Other	1
2		
3		
4		
5	Other	0
<b>TOTAL</b>		<b>4</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 HYDE		
Rank	Cause	#
1	Fall, Unintentional	11
	Poisoning, Self inflicted; MVT,	6
2	Unintentional	
3	Poisoning, Undetermined	3
	Suffocation, Unintentional; Other	2
4	spec/class, Unintentional	
	Other spec/notclass,	1
	Unintentional; Other	
	spec/notclass, Assault; Fire/Burn,	
	Unintentional; Cut/pierce, Self	
	inflicted; Cut/pierce, Assault	
5	Other	0
<b>TOTAL</b>		<b>35</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 HYDE		
Rank	Cause	#
1	Fall, Unintentional	95
	Unspecified, Unintentional	71
2		
3	MVT, Unintentional	48
	Overexertion, Unintentional	36
4		
	Struck, Unintentional	33
5	Other	127
<b>TOTAL</b>		<b>410</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 IREDELL		
Rank	Cause	#
1	Poisoning, Unintentional	39
2	MVT, Unintentional	25
3	Firearm, Self inflicted	15
4	Firearm, Assault	8
	Unspecified, Unintentional;	4
	Poisoning, Self inflicted; Other	
5	spec/class, Unintentional	
	Other	30
<b>TOTAL</b>		<b>129</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 IREDELL		
Rank	Cause	#
1	Fall, Unintentional	335
2	Poisoning, Self inflicted	173
3	MVT, Unintentional	158
4	Poisoning, Unintentional	127
	Unspecified, Unintentional	117
5	Other	422
<b>TOTAL</b>		<b>1,332</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 IREDELL		
Rank	Cause	#
1	Fall, Unintentional	3,355
2	Overexertion, Unintentional	1,971
3	MVT, Unintentional	1,929
4	Struck, Unintentional	1,226
	Unspecified, Unintentional	1,160
5	Other	3,850
<b>TOTAL</b>		<b>13,491</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 JACKSON		
Rank	Cause	#
1	Poisoning, Unintentional	8
2	Poisoning, Self inflicted; MVT,	5
3	Suffocation, Self inflicted; Firearm,	3
4	Poisoning, Undetermined	2
5	Transport,other, Unintentional; Other	1
	Other	0
<b>TOTAL</b>		<b>32</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 JACKSON		
Rank	Cause	#
1	Fall, Unintentional	61
2	Poisoning, Self inflicted	27
3	Poisoning, Unintentional	26
4	MVT, Unintentional	25
5	Unspecified, Unintentional	21
	Other	72
<b>TOTAL</b>		<b>232</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 JACKSON		
Rank	Cause	#
1	Fall, Unintentional	811
2	Overexertion, Unintentional	354
3	MVT, Unintentional	270
4	Struck, Unintentional	267
5	Cut/pierce, Unintentional	262
	Other	999
<b>TOTAL</b>		<b>2,963</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 JOHNSTON		
Rank	Cause	#
1	MVT, Unintentional	38
2	Poisoning, Unintentional	20
3	Firearm, Self inflicted	14
4	Poisoning, Self inflicted	9
5	Fall, Unintentional	6
	Other	34
<b>TOTAL</b>		<b>121</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 JOHNSTON		
Rank	Cause	#
1	Fall, Unintentional	311
2	MVT, Unintentional	194
3	Unspecified, Unintentional	156
4	Poisoning, Self inflicted	154
5	Poisoning, Unintentional	123
	Other	478
<b>TOTAL</b>		<b>1,416</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 JOHNSTON		
Rank	Cause	#
1	Fall, Unintentional	2,987
2	Unspecified, Unintentional	2,026
3	MVT, Unintentional	1,750
4	Overexertion, Unintentional	1,638
5	Struck, Unintentional	1,029
	Other	3,984
<b>TOTAL</b>		<b>13,414</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 JONES		
Rank	Cause	#
1	MVT, Unintentional	3
2	Poisoning, Unintentional	2
3	Suffocation, Self inflicted; Drowning,	1
4		
5		
	Other	0
<b>TOTAL</b>		<b>7</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 JONES		
Rank	Cause	#
1	Fall, Unintentional	27
2	MVT, Unintentional	15
3	Other spec/class, Unintentional	11
4	Poisoning, Unintentional	9
5	Unspecified, Unintentional	8
	Other	34
<b>TOTAL</b>		<b>104</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 JONES		
Rank	Cause	#
1	Fall, Unintentional	177
2	Overexertion, Unintentional	141
3	MVT, Unintentional	125
4	Unspecified, Unintentional	112
5	Struck, Unintentional	80
	Other	280
<b>TOTAL</b>		<b>915</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 LEE		
Rank	Cause	#
1	MVT, Unintentional	23
2	Poisoning, Unintentional	14
3	Firearm, Self inflicted	6
	Firearm, Assault	4
4		
5	Poisoning, Undetermined	2
	Other	6
<b>TOTAL</b>		<b>55</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 LEE		
Rank	Cause	#
1	Fall, Unintentional	92
2	MVT, Unintentional	84
3	Poisoning, Self inflicted	38
	Poisoning, Unintentional; Other	29
4	spec/class, Unintentional	
5	Unspecified, Unintentional	27
	Other	132
<b>TOTAL</b>		<b>431</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 LEE		
Rank	Cause	#
1	Fall, Unintentional	835
2	MVT, Unintentional	827
3	Unspecified, Unintentional	440
	Overexertion, Unintentional	345
4		
5	Natural/Environ, Unintentional	260
	Other	1,192
<b>TOTAL</b>		<b>3,899</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 LENOIR		
Rank	Cause	#
1	MVT, Unintentional	16
2	Poisoning, Unintentional	9
3	Firearm, Self inflicted	6
4	Suffocation, Self inflicted	4
	Unspecified, Unintentional;	2
	Suffocation, Unintentional;	
	Poisoning, Self inflicted; Firearm,	
5	Assault	
	Other	7
<b>TOTAL</b>		<b>50</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 LENOIR		
Rank	Cause	#
1	Fall, Unintentional	159
2	Unspecified, Unintentional	79
3	MVT, Unintentional	76
4	Poisoning, Self inflicted	68
	Poisoning, Unintentional	32
5		
	Other	167
<b>TOTAL</b>		<b>581</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 LENOIR		
Rank	Cause	#
1	Fall, Unintentional	1,171
2	Overexertion, Unintentional	948
3	MVT, Unintentional	811
4	Unspecified, Unintentional	663
	Struck, Unintentional	442
5		
	Other	1,552
<b>TOTAL</b>		<b>5,587</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.



Leading Causes of Injury Death AGES 35-64: 2007 to 2009 LINCOLN		
Rank	Cause	#
1	Poisoning, Unintentional	30
2	MVT, Unintentional	29
3	Firearm, Self inflicted	18
4	Firearm, Assault	6
5	Poisoning, Self inflicted	5
	Other	16
<b>TOTAL</b>		<b>104</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 LINCOLN		
Rank	Cause	#
1	Fall, Unintentional	157
2	MVT, Unintentional	95
3	Poisoning, Self inflicted	81
4	Poisoning, Undetermined	61
5	Poisoning, Unintentional	51
	Other	228
<b>TOTAL</b>		<b>673</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 LINCOLN		
Rank	Cause	#
1	Fall, Unintentional	2,056
2	MVT, Unintentional	1,123
3	Overexertion, Unintentional	1,061
4	Struck, Unintentional	819
5	Unspecified, Unintentional	660
	Other	2,432
<b>TOTAL</b>		<b>8,151</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 McDOWELL		
Rank	Cause	#
1	Poisoning, Unintentional	20
2	MVT, Unintentional	9
3	Firearm, Assault	5
4	Poisoning, Self inflicted; Firearm,	4
5	Fall, Unintentional	3
	Other	8
<b>TOTAL</b>		<b>53</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 McDOWELL		
Rank	Cause	#
1	Fall, Unintentional	97
2	Poisoning, Self inflicted	60
3	MVT, Unintentional	46
4	Other spec/class, Unintentional	34
5	Poisoning, Unintentional	31
	Other	104
<b>TOTAL</b>		<b>372</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 McDOWELL		
Rank	Cause	#
1	Fall, Unintentional	767
2	MVT, Unintentional	391
3	Overexertion, Unintentional	212
4	Struck, Unintentional	171
5	Struck, Assault	153
	Other	731
<b>TOTAL</b>		<b>2,425</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 MACON		
Rank	Cause	#
1	Poisoning, Unintentional	9
2	Firearm, Self inflicted	8
3	Poisoning, Self inflicted	5
	MVT, Unintentional	4
4	Transport,other, Unintentional; Suffocation, Self inflicted; Fall, Unintentional	2
5	Other	5
<b>TOTAL</b>		<b>37</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 MACON		
Rank	Cause	#
1	Fall, Unintentional	72
2	MVT, Unintentional	20
3	Other spec/class, Unintentional	17
	Poisoning, Undetermined;	14
4	Poisoning, Self inflicted	
	Poisoning, Unintentional	11
5	Other	43
<b>TOTAL</b>		<b>191</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 MACON		
Rank	Cause	#
1	Fall, Unintentional	725
2	Overexertion, Unintentional	274
3	Cut/pierce, Unintentional	241
	Struck, Unintentional	220
4	MVT, Unintentional	207
5	Other	804
<b>TOTAL</b>		<b>2,471</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 MADISON		
Rank	Cause	#
1	MVT, Unintentional	8
2	Poisoning, Unintentional; Firearm,	4
3	Poisoning, Self inflicted	3
4	Suffocation, Self inflicted; Firearm, Unspecified, Unintentional;	2
	Transport,other, Unintentional; Other land transport, Unintentional; Firearm, Unintentional	1
5	Other	0
<b>TOTAL</b>		<b>27</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 MADISON		
Rank	Cause	#
1	Fall, Unintentional	34
2	MVT, Unintentional	22
3	Poisoning, Self inflicted	15
4	Unspecified, Unintentional	8
	Other spec/class, Unintentional	7
5	Other	34
<b>TOTAL</b>		<b>120</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 MADISON		
Rank	Cause	#
1	Fall, Unintentional	100
2	MVT, Unintentional	66
3	Struck, Unintentional	26
4	Natural/Environ, Unintentional	25
	Unspecified, Unintentional	24
5	Other	134
<b>TOTAL</b>		<b>375</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 MARTIN		
Rank	Cause	#
1	Poisoning, Unintentional	9
2	MVT, Unintentional	8
3	Firearm, Assault	6
4	Poisoning, Self inflicted; Firearm,	4
5	Other land transport, Unintentional	2
	Other	6
<b>TOTAL</b>		<b>39</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 MARTIN		
Rank	Cause	#
1	Fall, Unintentional	38
2	MVT, Unintentional	33
3	Unspecified, Unintentional	32
4	Poisoning, Unintentional	16
5	Poisoning, Self inflicted	15
	Other	64
<b>TOTAL</b>		<b>198</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 MARTIN		
Rank	Cause	#
1	Fall, Unintentional	369
2	Unspecified, Unintentional	269
3	MVT, Unintentional	241
4	Struck, Unintentional	138
5	Overexertion, Unintentional	109
	Other	435
<b>TOTAL</b>		<b>1,561</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 MECKLENBURG		
Rank	Cause	#
1	MVT, Unintentional	98
2	Poisoning, Unintentional	97
3	Firearm, Self inflicted	60
4	Firearm, Assault	39
5	Fall, Unintentional	30
	Other	141
<b>TOTAL</b>		<b>465</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 MECKLENBURG		
Rank	Cause	#
1	Fall, Unintentional	1,187
2	MVT, Unintentional	610
3	Poisoning, Self inflicted	549
4	Unspecified, Unintentional	435
5	Poisoning, Unintentional	433
	Other	1,709
<b>TOTAL</b>		<b>4,923</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 MECKLENBURG		
Rank	Cause	#
1	Fall, Unintentional	11,936
2	MVT, Unintentional	10,193
3	Unspecified, Unintentional	7,557
4	Overexertion, Unintentional	5,700
5	Struck, Unintentional	4,337
	Other	16,934
<b>TOTAL</b>		<b>56,657</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 MITCHELL		
Rank	Cause	#
1	MVT, Unintentional	5
2	Poisoning, Unintentional	4
3	Unspecified, Unintentional;	1
4		
5	Other	0
<b>TOTAL</b>		<b>14</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 MITCHELL		
Rank	Cause	#
1	Fall, Unintentional	52
2	MVT, Unintentional	25
3	Other spec/class, Unintentional	24
4	Poisoning, Unintentional	20
	Unspecified, Unintentional; Struck, Unintentional; Poisoning, Self inflicted	9
5	Other	30
<b>TOTAL</b>		<b>178</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 MITCHELL		
Rank	Cause	#
1	Fall, Unintentional	205
2	MVT, Unintentional	106
3	Struck, Unintentional	45
4	Other spec/class, Unintentional Overexertion, Unintentional	42
		34
5	Other	206
<b>TOTAL</b>		<b>638</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 MONTGOMERY		
Rank	Cause	#
1	MVT, Unintentional	7
2	Firearm, Assault	5
3	Firearm, Self inflicted	4
4	Poisoning, Unintentional	3
5	Suffocation, Self inflicted	2
	Other	6
<b>TOTAL</b>		<b>27</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 MONTGOMERY		
Rank	Cause	#
1	Fall, Unintentional	57
2	Poisoning, Self inflicted	28
3	MVT, Unintentional	19
4	Struck, Unintentional	16
5	Poisoning, Unintentional	15
	Other	79
<b>TOTAL</b>		<b>214</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 MONTGOMERY		
Rank	Cause	#
1	Fall, Unintentional	349
2	MVT, Unintentional	177
3	Overexertion, Unintentional	163
4	Cut/pierce, Unintentional	137
5	Struck, Unintentional	132
	Other	506
<b>TOTAL</b>		<b>1,464</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 MOORE		
Rank	Cause	#
1	Poisoning, Unintentional	19
2	MVT, Unintentional	9
3	Firearm, Self inflicted	8
4	Poisoning, Self inflicted	6
5	Firearm, Assault	5
	Other	23
<b>TOTAL</b>		<b>70</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 MOORE		
Rank	Cause	#
1	Fall, Unintentional	159
2	MVT, Unintentional	98
3	Poisoning, Self inflicted	96
4	Poisoning, Unintentional	49
5	Other spec/class, Unintentional	34
	Other	221
<b>TOTAL</b>		<b>657</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 MOORE		
Rank	Cause	#
1	Fall, Unintentional	1,226
2	MVT, Unintentional	908
3	Overexertion, Unintentional	561
4	Cut/pierce, Unintentional	387
5	Struck, Unintentional	347
	Other	1,378
<b>TOTAL</b>		<b>4,807</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 NASH		
Rank	Cause	#
1	MVT, Unintentional	20
2	Firearm, Self inflicted	14
3	Poisoning, Unintentional	10
4	Firearm, Assault	7
5	Suffocation, Self inflicted	4
	Other	15
<b>TOTAL</b>		<b>70</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 NASH		
Rank	Cause	#
1	Fall, Unintentional	183
2	MVT, Unintentional	104
3	Poisoning, Self inflicted	77
4	Unspecified, Unintentional	67
5	Poisoning, Unintentional	64
	Other	295
<b>TOTAL</b>		<b>790</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 NASH		
Rank	Cause	#
1	Fall, Unintentional	546
2	MVT, Unintentional	416
3	Overexertion, Unintentional	318
4	Unspecified, Unintentional	256
5	Struck, Unintentional	209
	Other	777
<b>TOTAL</b>		<b>2,522</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 NEW HANOVER		
Rank	Cause	#
1	Poisoning, Unintentional	46
2	MVT, Unintentional	23
3	Poisoning, Self inflicted	21
4	Firearm, Self inflicted	20
5	Suffocation, Self inflicted	10
	Other	50
<b>TOTAL</b>		<b>170</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 NEW HANOVER		
Rank	Cause	#
1	Fall, Unintentional	340
2	Poisoning, Self inflicted	191
3	MVT, Unintentional	169
4	Unspecified, Unintentional	112
5	Poisoning, Unintentional	77
	Other	439
<b>TOTAL</b>		<b>1,328</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 NEW HANOVER		
Rank	Cause	#
1	Fall, Unintentional	3,527
2	MVT, Unintentional	2,475
3	Overexertion, Unintentional	1,485
4	Unspecified, Unintentional	1,163
5	Struck, Unintentional	1,140
	Other	4,495
<b>TOTAL</b>		<b>14,285</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 NORTHAMPTON		
Rank	Cause	#
1	MVT, Unintentional	6
2	Poisoning, Unintentional; Firearm, Suffocation, Unintentional	4
3		2
4	Unspecified, Assault; Suffocation,	1
5	Other	0
<b>TOTAL</b>		<b>22</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 NORTHAMPTON		
Rank	Cause	#
1	Fall, Unintentional	45
2	MVT, Unintentional	29
	Unspecified, Unintentional;	10
3	Poisoning, Self inflicted	
4	Transport,other, Unintentional	9
5	Other spec/class, Unintentional	8
	Other	65
<b>TOTAL</b>		<b>176</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 NORTHAMPTON		
Rank	Cause	#
1	Fall, Unintentional	482
2	MVT, Unintentional	312
	Unspecified, Unintentional	211
3		
4	Struck, Unintentional	155
5	Overexertion, Unintentional	134
	Other	569
<b>TOTAL</b>		<b>1,863</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 ONslow		
Rank	Cause	#
1	MVT, Unintentional	28
2	Poisoning, Unintentional	26
3	Firearm, Self inflicted	9
4	Poisoning, Self inflicted	5
5	Suffocation, Self inflicted	4
	Other	24
<b>TOTAL</b>		<b>96</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 ONslow		
Rank	Cause	#
1	Fall, Unintentional	179
2	MVT, Unintentional	114
3	Poisoning, Unintentional	75
4	Unspecified, Unintentional	59
5	Other spec/class, Unintentional	50
	Other	243
<b>TOTAL</b>		<b>720</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 ONslow		
Rank	Cause	#
1	Fall, Unintentional	2,376
2	MVT, Unintentional	1,545
3	Unspecified, Unintentional	1,089
4	Overexertion, Unintentional	955
5	Struck, Unintentional	648
	Other	3,205
<b>TOTAL</b>		<b>9,818</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 ORANGE		
Rank	Cause	#
1	Poisoning, Unintentional	17
2	MVT, Unintentional	14
3	Poisoning, Self inflicted	10
4	Suffocation, Self inflicted; Firearm,	6
5	Firearm, Assault	5
	Other	19
<b>TOTAL</b>		<b>77</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 ORANGE		
Rank	Cause	#
1	Fall, Unintentional	218
2	Poisoning, Self inflicted	129
3	MVT, Unintentional	127
4	Poisoning, Unintentional	111
5	Unspecified, Unintentional	63
	Other	337
<b>TOTAL</b>		<b>985</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 ORANGE		
Rank	Cause	#
1	Fall, Unintentional	1,430
2	Overexertion, Unintentional	775
3	MVT, Unintentional	684
4	Unspecified, Unintentional	582
5	Struck, Unintentional	521
	Other	2,082
<b>TOTAL</b>		<b>6,074</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 PAMLICO		
Rank	Cause	#
1	MVT, Unintentional	5
2	Drowning, Unintentional	3
3	Poisoning, Unintentional	2
4	Unspecified, Unintentional;	1
5	Other	0
<b>TOTAL</b>		<b>17</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 PAMLICO		
Rank	Cause	#
1	Fall, Unintentional	26
2	Poisoning, Unintentional	21
3	Poisoning, Self inflicted	20
4	Unspecified, Unintentional	12
	Other spec/class, Unintentional;	11
5	MVT, Unintentional	30
	Other	30
<b>TOTAL</b>		<b>131</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 PAMLICO		
Rank	Cause	#
1	Fall, Unintentional	151
2	Overexertion, Unintentional	111
3	MVT, Unintentional	85
4	Unspecified, Unintentional	70
	Struck, Unintentional	57
5	Other	251
<b>TOTAL</b>		<b>725</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 PASQUOTANK		
Rank	Cause	#
1	MVT, Unintentional	9
	Poisoning, Unintentional	7
2		
3	Poisoning, Self inflicted	4
4	Firearm, Self inflicted; Fall, Suffocation, Self inflicted	3
		2
5	Other	4
<b>TOTAL</b>		<b>32</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 PASQUOTANK		
Rank	Cause	#
1	Fall, Unintentional	47
	Unspecified, Unintentional;	16
2	Poisoning, Self inflicted	15
3	MVT, Unintentional	13
4	Poisoning, Unintentional	11
	Poisoning, Undetermined;	11
5	Natural/Environ, Unintentional	41
	Other	41
<b>TOTAL</b>		<b>170</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 PASQUOTANK		
Rank	Cause	#
1	MVT, Unintentional	291
	Fall, Unintentional	127
2		
3	Unspecified, Unintentional	91
4	Overexertion, Unintentional	49
	Struck, Unintentional	40
5	Other	177
<b>TOTAL</b>		<b>775</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 PENDER		
Rank	Cause	#
1	MVT, Unintentional	25
2	Poisoning, Unintentional	15
3	Firearm, Self inflicted	14
4	Poisoning, Self inflicted	3
	Suffocation, Self inflicted; Suffocation, Assault; Fall, Unintentional	2
5	Other	8
<b>TOTAL</b>		<b>71</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 PENDER		
Rank	Cause	#
1	Fall, Unintentional	84
2	MVT, Unintentional	62
3	Unspecified, Unintentional	34
4	Other spec/class, Unintentional Poisoning, Self inflicted	33 30
5	Other	112
<b>TOTAL</b>		<b>355</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 PENDER		
Rank	Cause	#
1	Fall, Unintentional	655
2	MVT, Unintentional	618
3	Unspecified, Unintentional	268
4	Overexertion, Unintentional Struck, Unintentional	211 154
5	Other	629
<b>TOTAL</b>		<b>2,535</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 PERQUIMANS		
Rank	Cause	#
1	Poisoning, Unintentional	3
2	MVT, Unintentional	2
3	Transport,other, Unintentional;	1
4		
5	Other	0
<b>TOTAL</b>		<b>8</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 PERQUIMANS		
Rank	Cause	#
1	Fall, Unintentional	28
2	Poisoning, Self inflicted	10
3	Natural/Environ, Unintentional	5
4	Unspecified, Unintentional Struck, Unintentional; Poisoning, Unintentional; Overexertion, Unintentional; MVT, Unintentional	4 3
5	Other	8
<b>TOTAL</b>		<b>67</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 PERQUIMANS		
Rank	Cause	#
1	Fall, Unintentional	89
2	MVT, Unintentional	73
3	Overexertion, Unintentional	49
4	Unspecified, Unintentional Struck, Unintentional	43 37
5	Other	125
<b>TOTAL</b>		<b>416</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.



Leading Causes of Injury Death AGES 35-64: 2007 to 2009 PERSON		
Rank	Cause	#
1	Poisoning, Unintentional	12
2	MVT, Unintentional	11
3	Firearm, Self inflicted	6
4	Suffocation, Assault; Other	1
5	Other	0
<b>TOTAL</b>		<b>33</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 PERSON		
Rank	Cause	#
1	Fall, Unintentional	90
2	MVT, Unintentional	67
3	Poisoning, Unintentional	41
4	Poisoning, Self inflicted	33
	Unspecified, Unintentional; Other	29
5	spec/class, Unintentional	
	Other	107
<b>TOTAL</b>		<b>396</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 PERSON		
Rank	Cause	#
1	Fall, Unintentional	933
2	Overexertion, Unintentional	720
3	MVT, Unintentional	480
4	Struck, Unintentional	409
	Cut/pierce, Unintentional	326
5	Other	1,301
<b>TOTAL</b>		<b>4,169</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 PITT		
Rank	Cause	#
1	MVT, Unintentional	39
2	Poisoning, Unintentional	25
3	Firearm, Self inflicted	9
4	Firearm, Assault	7
5	Suffocation, Self inflicted	6
	Other	26
<b>TOTAL</b>		<b>112</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 PITT		
Rank	Cause	#
1	Fall, Unintentional	201
2	MVT, Unintentional	158
3	Poisoning, Self inflicted	143
4	Poisoning, Unintentional	82
5	Poisoning, Undetermined	37
	Other	298
<b>TOTAL</b>		<b>919</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 PITT		
Rank	Cause	#
1	Fall, Unintentional	1,551
2	MVT, Unintentional	1,146
3	Overexertion, Unintentional	658
4	Struck, Unintentional	567
5	Cut/pierce, Unintentional	499
	Other	2,280
<b>TOTAL</b>		<b>6,701</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 POLK		
Rank	Cause	#
1	MVT, Unintentional	8
2	Poisoning, Unintentional	5
3	Suffocation, Self inflicted; Poisoning,	3
4	Struck, Unintentional; Fall, Unspecified, Unintentional; Firearm, Unintentional; Drowning,	2
5	Unintentional Other	1 0
<b>TOTAL</b>		<b>29</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 POLK		
Rank	Cause	#
1	Fall, Unintentional	27
2	Poisoning, Self inflicted	15
3	Transport,other, Unintentional	10
4	Poisoning, Unintentional; MVT, Unspecified, Unintentional; Other spec/class, Unintentional	9 6
5	Other	24
<b>TOTAL</b>		<b>106</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 POLK		
Rank	Cause	#
1	Fall, Unintentional	231
2	MVT, Unintentional	117
3	Overexertion, Unintentional	86
4	Unspecified, Unintentional Struck, Unintentional	50 49
5	Other	201
<b>TOTAL</b>		<b>734</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 RANDOLPH		
Rank	Cause	#
1	Poisoning, Unintentional	31
2	MVT, Unintentional	27
3	Firearm, Self inflicted	25
4	Poisoning, Self inflicted	14
5	Fall, Unintentional Other	10 37
<b>TOTAL</b>		<b>144</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 RANDOLPH		
Rank	Cause	#
1	Fall, Unintentional	260
2	MVT, Unintentional	140
3	Poisoning, Self inflicted	136
4	Unspecified, Unintentional	90
5	Other spec/class, Unintentional Other	89 365
<b>TOTAL</b>		<b>1,080</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 RANDOLPH		
Rank	Cause	#
1	Fall, Unintentional	3,101
2	MVT, Unintentional	1,671
3	Unspecified, Unintentional	1,155
4	Overexertion, Unintentional	1,023
5	Struck, Unintentional Other	828 3,682
<b>TOTAL</b>		<b>11,460</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 RICHMOND		
Rank	Cause	#
1	Poisoning, Unintentional	18
2	MVT, Unintentional	14
3	Firearm, Self inflicted	8
4	Firearm, Assault	4
5	Poisoning, Self inflicted; Fire/Burn, Unintentional	3
	Other	15
<b>TOTAL</b>		<b>65</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 RICHMOND		
Rank	Cause	#
1	Fall, Unintentional	125
2	MVT, Unintentional	70
3	Poisoning, Unintentional	42
4	Poisoning, Self inflicted	40
	Other spec/class, Unintentional	36
5	Other	169
<b>TOTAL</b>		<b>482</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 RICHMOND		
Rank	Cause	#
1	Fall, Unintentional	865
2	MVT, Unintentional	609
3	Overexertion, Unintentional	338
4	Unspecified, Unintentional	333
	Cut/pierce, Unintentional	287
5	Other	1,240
<b>TOTAL</b>		<b>3,672</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 ROBESON		
Rank	Cause	#
1	MVT, Unintentional	64
2	Firearm, Assault	19
3	Poisoning, Unintentional	16
4	Firearm, Self inflicted	12
	Unspecified, Unintentional; Poisoning, Self inflicted; Cut/pierce,	7
5	Assault	
	Other	27
<b>TOTAL</b>		<b>159</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 ROBESON		
Rank	Cause	#
1	Unspecified, Unintentional	296
2	Fall, Unintentional	242
3	MVT, Unintentional	233
4	Poisoning, Unintentional	164
	Poisoning, Self inflicted	143
5	Other	494
<b>TOTAL</b>		<b>1,572</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 ROBESON		
Rank	Cause	#
1	Fall, Unintentional	3,522
2	MVT, Unintentional	2,803
3	Unspecified, Unintentional	2,048
4	Overexertion, Unintentional	1,457
	Struck, Unintentional	1,003
5	Other	4,657
<b>TOTAL</b>		<b>15,490</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 ROCKINGHAM		
Rank	Cause	#
1	Poisoning, Unintentional	39
2	MVT, Unintentional	32
3	Firearm, Self inflicted	12
4	Suffocation, Self inflicted; Fire/Burn, Firearm, Assault; Fall, Unintentional	4
5	Other	19
<b>TOTAL</b>		<b>122</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 ROCKINGHAM		
Rank	Cause	#
1	Fall, Unintentional	268
2	Poisoning, Self inflicted	161
3	MVT, Unintentional	157
4	Poisoning, Unintentional Unspecified, Unintentional	127
5	Other	358
<b>TOTAL</b>		<b>1,151</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 ROCKINGHAM		
Rank	Cause	#
1	Fall, Unintentional	1,813
2	MVT, Unintentional	699
3	Unspecified, Unintentional	675
4	Overexertion, Unintentional Struck, Unintentional	532
5	Other	2,450
<b>TOTAL</b>		<b>6,687</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 ROWAN		
Rank	Cause	#
1	Poisoning, Unintentional	39
2	MVT, Unintentional	33
3	Firearm, Self inflicted	18
4	Poisoning, Self inflicted	9
5	Suffocation, Self inflicted	6
	Other	25
<b>TOTAL</b>		<b>130</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 ROWAN		
Rank	Cause	#
1	Fall, Unintentional	275
2	MVT, Unintentional	163
3	Unspecified, Unintentional	137
4	Poisoning, Self inflicted	133
5	Poisoning, Unintentional	94
	Other	318
<b>TOTAL</b>		<b>1,120</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 ROWAN		
Rank	Cause	#
1	Fall, Unintentional	2,969
2	MVT, Unintentional	1,778
3	Unspecified, Unintentional	1,406
4	Overexertion, Unintentional	1,275
5	Struck, Unintentional	825
	Other	3,248
<b>TOTAL</b>		<b>11,501</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 RUTHERFORD		
Rank	Cause	#
1	Poisoning, Unintentional	34
2	MVT, Unintentional	11
3	Firearm, Self inflicted	10
4	Poisoning, Self inflicted	5
5	Suffocation, Self inflicted	3
	Other	12
<b>TOTAL</b>		<b>75</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 RUTHERFORD		
Rank	Cause	#
1	Fall, Unintentional	156
2	Poisoning, Unintentional	88
3	Poisoning, Self inflicted	84
4	MVT, Unintentional	65
5	Other spec/class, Unintentional	32
	Other	182
<b>TOTAL</b>		<b>607</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 RUTHERFORD		
Rank	Cause	#
1	Fall, Unintentional	2,379
2	Overexertion, Unintentional	1,007
3	MVT, Unintentional	987
4	Unspecified, Unintentional	877
5	Struck, Unintentional	613
	Other	2,397
<b>TOTAL</b>		<b>8,260</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 SAMPSON		
Rank	Cause	#
1	Poisoning, Unintentional	24
2	MVT, Unintentional	22
3	Firearm, Assault	8
4	Poisoning, Self inflicted; Firearm,	6
5	Fall, Unintentional	5
	Other	17
<b>TOTAL</b>		<b>88</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 SAMPSON		
Rank	Cause	#
1	Fall, Unintentional	158
2	MVT, Unintentional	89
3	Unspecified, Unintentional	66
4	Poisoning, Self inflicted	50
5	Other spec/class, Unintentional	43
	Other	235
<b>TOTAL</b>		<b>641</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 SAMPSON		
Rank	Cause	#
1	Fall, Unintentional	1,329
2	MVT, Unintentional	947
3	Unspecified, Unintentional	901
4	Overexertion, Unintentional	604
5	Struck, Unintentional	425
	Other	1,844
<b>TOTAL</b>		<b>6,050</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 SCOTLAND		
Rank	Cause	#
1	MVT, Unintentional	12
2	Poisoning, Unintentional; Firearm, Firearm, Self inflicted	6
3		3
4	Unspecified, Assault; Suffocation, Unspecified, Unintentional; Suffocation, Assault; Fall, Unintentional	2
5		1
	Other	0
<b>TOTAL</b>		<b>44</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 SCOTLAND		
Rank	Cause	#
1	Fall, Unintentional	120
2	Poisoning, Unintentional	50
	Poisoning, Self inflicted; MVT, Unintentional	37
3		
4	Other spec/class, Unintentional Unspecified, Unintentional	23
		16
5		
	Other	90
<b>TOTAL</b>		<b>373</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 SCOTLAND		
Rank	Cause	#
1	Fall, Unintentional	979
2	MVT, Unintentional	570
	Overexertion, Unintentional	418
3		
4	Unspecified, Unintentional Struck, Unintentional	358
		309
5		
	Other	1,174
<b>TOTAL</b>		<b>3,808</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 STANLY		
Rank	Cause	#
1	Poisoning, Unintentional	17
2	Firearm, Self inflicted	15
3	Poisoning, Self inflicted	6
4	Firearm, Assault; Drowning, Unspecified, Unintentional; MVT,	4
5	Unintentional Other	3 9
<b>TOTAL</b>		<b>61</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 STANLY		
Rank	Cause	#
1	Fall, Unintentional	129
2	MVT, Unintentional	73
3	Poisoning, Self inflicted	57
4	Other spec/class, Unintentional Unspecified, Unintentional	44 33
5	Other	165
<b>TOTAL</b>		<b>501</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 STANLY		
Rank	Cause	#
1	Fall, Unintentional	347
2	MVT, Unintentional	243
3	Overexertion, Unintentional	139
4	Natural/Environ, Unintentional Unspecified, Unintentional	121 106
5	Other	519
<b>TOTAL</b>		<b>1,475</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 STOKES		
Rank	Cause	#
1	Poisoning, Unintentional	15
2	MVT, Unintentional	14
3	Firearm, Self inflicted	12
4	Poisoning, Self inflicted Unspecified, Unintentional;	3 2
5	Fire/Burn, Unintentional Other	5 5
<b>TOTAL</b>		<b>53</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 STOKES		
Rank	Cause	#
1	Fall, Unintentional	99
2	Poisoning, Self inflicted	69
3	MVT, Unintentional	63
4	Unspecified, Unintentional Poisoning, Unintentional	36 33
5	Other	129
<b>TOTAL</b>		<b>429</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 STOKES		
Rank	Cause	#
1	Fall, Unintentional	1,374
2	Unspecified, Unintentional	530
3	Struck, Unintentional	492
4	MVT, Unintentional Overexertion, Unintentional	483 459
5	Other	1,440
<b>TOTAL</b>		<b>4,778</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 SURRY		
Rank	Cause	#
1	Poisoning, Unintentional; MVT,	17
2	Firearm, Self inflicted	7
3	Suffocation, Unintentional;	3
4	Unspecified, Unintentional;	2
	Pedestrian,other, Unintentional;	1
	Other spec/class, Unintentional;	
	Other spec/NEC, Unintentional;	
	Other land transport, Unintentional;	
	Natural/Environ, Unintentional;	
	Cut/pierce, Self inflicted	
5	Other	0
<b>TOTAL</b>		<b>64</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 SURRY		
Rank	Cause	#
1	Fall, Unintentional	221
2	Poisoning, Self inflicted	109
3	MVT, Unintentional	96
4	Poisoning, Unintentional	90
	Unspecified, Unintentional	56
5	Other	216
<b>TOTAL</b>		<b>788</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 SURRY		
Rank	Cause	#
1	Fall, Unintentional	2,078
2	MVT, Unintentional	959
3	Overexertion, Unintentional	902
4	Unspecified, Unintentional	648
	Struck, Unintentional	647
5	Other	2,534
<b>TOTAL</b>		<b>7,768</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 SWAIN		
Rank	Cause	#
1	Poisoning, Unintentional	9
2	MVT, Unintentional; Firearm, Self	2
3	Unspecified, Unintentional;	1
4		
5	Other	0
<b>TOTAL</b>		<b>21</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 SWAIN		
Rank	Cause	#
1	Fall, Unintentional	53
2	MVT, Unintentional	28
3	Unspecified, Unintentional	22
4	Poisoning, Self inflicted	21
5	Poisoning, Unintentional	18
	Other	58
<b>TOTAL</b>		<b>200</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 SWAIN		
Rank	Cause	#
1	Fall, Unintentional	474
2	Overexertion, Unintentional	201
3	MVT, Unintentional	157
4	Cut/pierce, Unintentional	153
5	Struck, Unintentional	137
	Other	629
<b>TOTAL</b>		<b>1,751</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 TRANSYLVANIA		
Rank	Cause	#
1	Poisoning, Unintentional; MVT,	8
2	Poisoning, Self inflicted; Firearm,	3
3	Transport,other, Unintentional;	2
4	Unspecified, Assault; Suffocation,	1
5	Other	0
<b>TOTAL</b>		<b>33</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 TRANSYLVANIA		
Rank	Cause	#
1	Fall, Unintentional	63
2	Poisoning, Self inflicted	38
3	MVT, Unintentional	30
4	Unspecified, Unintentional	19
	Poisoning, Unintentional; Other	15
5	spec/class, Unintentional	
	Other	51
<b>TOTAL</b>		<b>231</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 TRANSYLVANIA		
Rank	Cause	#
1	Fall, Unintentional	896
2	Overexertion, Unintentional	513
3	Unspecified, Unintentional	499
4	Struck, Unintentional	387
	Cut/pierce, Unintentional	330
5	Other	1,088
<b>TOTAL</b>		<b>3,713</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 TYRRELL		
Rank	Cause	#
1	MVT, Unintentional	2
2	Poisoning, Self inflicted; Fire/Burn,	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>5</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 TYRRELL		
Rank	Cause	#
1	MVT, Unintentional; Fall, Unintentional	4
2	Poisoning, Self inflicted	3
3	Poisoning, Unintentional	2
	Unspecified, Unintentional; Struck, Unintentional; Overexertion, Unintentional	1
4		
5	Other	0
<b>TOTAL</b>		<b>16</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 TYRRELL		
Rank	Cause	#
1	Fall, Unintentional	45
2	MVT, Unintentional	24
3	Overexertion, Unintentional	22
	Cut/pierce, Unintentional	20
4		
5	Unspecified, Unintentional	18
	Other	55
<b>TOTAL</b>		<b>184</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.



Leading Causes of Injury Death AGES 35-64: 2007 to 2009 UNION		
Rank	Cause	#
1	MVT, Unintentional	30
2	Firearm, Self inflicted	23
3	Poisoning, Unintentional	11
4	Fire/Burn, Unintentional; Fall,	6
5	Suffocation, Self inflicted	5
	Other	25
<b>TOTAL</b>		<b>106</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 UNION		
Rank	Cause	#
1	Fall, Unintentional	265
2	MVT, Unintentional	159
3	Poisoning, Self inflicted	117
4	Unspecified, Unintentional	91
5	Poisoning, Unintentional	87
	Other	347
<b>TOTAL</b>		<b>1,066</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 UNION		
Rank	Cause	#
1	Fall, Unintentional	2,196
2	MVT, Unintentional	1,802
3	Overexertion, Unintentional	1,382
4	Unspecified, Unintentional	1,253
5	Cut/pierce, Unintentional	907
	Other	3,198
<b>TOTAL</b>		<b>10,738</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 VANCE		
Rank	Cause	#
1	MVT, Unintentional	17
2	Poisoning, Unintentional	10
3	Firearm, Assault	6
4	Firearm, Self inflicted	4
5	Poisoning, Self inflicted	3
	Other	12
<b>TOTAL</b>		<b>52</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 VANCE		
Rank	Cause	#
1	Fall, Unintentional	122
2	MVT, Unintentional	75
3	Poisoning, Unintentional	44
4	Poisoning, Self inflicted	37
5	Unspecified, Unintentional	29
	Other	149
<b>TOTAL</b>		<b>456</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 VANCE		
Rank	Cause	#
1	Fall, Unintentional	571
2	MVT, Unintentional	369
3	Overexertion, Unintentional	298
4	Struck, Unintentional	155
5	Natural/Environ, Unintentional	137
	Other	655
<b>TOTAL</b>		<b>2,185</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 WAKE		
Rank	Cause	#
1	MVT, Unintentional	86
2	Poisoning, Unintentional	85
3	Firearm, Self inflicted	59
4	Poisoning, Self inflicted	39
5	Suffocation, Self inflicted	26
	Other	110
<b>TOTAL</b>		<b>405</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 WAKE		
Rank	Cause	#
1	Fall, Unintentional	1,167
2	MVT, Unintentional	640
3	Unspecified, Unintentional	399
4	Poisoning, Self inflicted	395
5	Other spec/class, Unintentional	334
	Other	1,518
<b>TOTAL</b>		<b>4,453</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 WAKE		
Rank	Cause	#
1	Fall, Unintentional	10,542
2	MVT, Unintentional	8,173
3	Overexertion, Unintentional	5,024
4	Struck, Unintentional	4,375
5	Cut/pierce, Unintentional	3,494
	Other	14,656
<b>TOTAL</b>		<b>46,264</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 WARREN		
Rank	Cause	#
1	MVT, Unintentional	5
2	Firearm, Self inflicted	4
3	Poisoning, Unintentional	2
4	Unspecified, Unintentional;	1
5	Other	0
<b>TOTAL</b>		<b>16</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 WARREN		
Rank	Cause	#
1	Fall, Unintentional	37
2	MVT, Unintentional	18
3	Unspecified, Unintentional	15
4	Poisoning, Unintentional	11
5	Poisoning, Self inflicted	9
	Other	36
<b>TOTAL</b>		<b>126</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 WARREN		
Rank	Cause	#
1	Fall, Unintentional	161
2	MVT, Unintentional	120
3	Overexertion, Unintentional	80
4	Struck, Unintentional	53
5	Unspecified, Unintentional	43
	Other	168
<b>TOTAL</b>		<b>625</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 WASHINGTON		
Rank	Cause	#
1	MVT, Unintentional	4
2	Poisoning, Unintentional	2
	Firearm, Self inflicted	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>7</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 WASHINGTON		
Rank	Cause	#
1	Fall, Unintentional	20
2	MVT, Unintentional	11
	Poisoning, Unintentional;	6
3	Poisoning, Self inflicted	
	Unspecified, Unintentional; Other	5
4	spec/class, Unintentional	
	Transport,other, Unintentional;	3
	Poisoning, Undetermined;	
	Natural/Environ, Unintentional;	
	Fire/Burn, Unintentional;	
	Cut/pierce, Unintentional;	
5	Cut/pierce, Assault	
	Other	10
<b>TOTAL</b>		<b>81</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 WASHINGTON		
Rank	Cause	#
1	Fall, Unintentional	68
2	MVT, Unintentional	60
	Overexertion, Unintentional	45
3		
	Unspecified, Unintentional	40
4		
	Natural/Environ, Unintentional	19
5		
	Other	90
<b>TOTAL</b>		<b>322</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 WATAUGA		
Rank	Cause	#
1	Poisoning, Unintentional	15
2	Firearm, Self inflicted	9
3	MVT, Unintentional	7
4	Suffocation, Self inflicted; Firearm, Struck, Unintentional; Poisoning, Undetermined; Other land transport, Unintentional; Firearm, Unintentional; Drowning, Self inflicted	2
5	Other	1
		0
<b>TOTAL</b>		<b>42</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 WATAUGA		
Rank	Cause	#
1	Fall, Unintentional	91
2	Poisoning, Self inflicted	30
3	Poisoning, Unintentional	24
4	MVT, Unintentional	21
	Poisoning, Undetermined	20
5	Other	98
<b>TOTAL</b>		<b>284</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 WATAUGA		
Rank	Cause	#
1	Fall, Unintentional	724
2	Overexertion, Unintentional	276
3	Cut/pierce, Unintentional	251
4	Struck, Unintentional	244
	MVT, Unintentional	232
5	Other	759
<b>TOTAL</b>		<b>2,486</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 WAYNE		
Rank	Cause	#
1	MVT, Unintentional	22
2	Poisoning, Unintentional	15
3	Firearm, Self inflicted	12
4	Firearm, Assault	11
	Unspecified, Unintentional;	5
5	Unspecified, Assault; Suffocation, Self inflicted	
	Other	25
<b>TOTAL</b>		<b>100</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 WAYNE		
Rank	Cause	#
1	Fall, Unintentional	260
2	Unspecified, Unintentional	208
3	MVT, Unintentional	120
4	Poisoning, Self inflicted	114
	Poisoning, Unintentional	71
5	Other	304
<b>TOTAL</b>		<b>1,077</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 WAYNE		
Rank	Cause	#
1	Fall, Unintentional	2,439
2	MVT, Unintentional	1,668
3	Unspecified, Unintentional	1,263
4	Overexertion, Unintentional	1,034
	Struck, Unintentional	819
5	Other	3,425
<b>TOTAL</b>		<b>10,648</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 WILKES		
Rank	Cause	#
1	Poisoning, Unintentional	49
2	MVT, Unintentional; Firearm, Self	22
3	Firearm, Assault	5
4	Unspecified, Assault; Poisoning, Self	3
	Other land transport, Unintentional;	2
5	Fall, Unintentional; Drowning, Unintentional	
	Other	4
<b>TOTAL</b>		<b>114</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 WILKES		
Rank	Cause	#
1	Fall, Unintentional	178
2	MVT, Unintentional	84
3	Poisoning, Self inflicted	76
4	Poisoning, Unintentional	55
	Unspecified, Unintentional	49
5		
	Other	233
<b>TOTAL</b>		<b>675</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 WILKES		
Rank	Cause	#
1	Fall, Unintentional	488
2	MVT, Unintentional	333
3	Unspecified, Unintentional	173
4	Overexertion, Unintentional	146
	Struck, Unintentional	117
5		
	Other	581
<b>TOTAL</b>		<b>1,838</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 WILSON		
Rank	Cause	#
1	MVT, Unintentional	18
2	Poisoning, Unintentional	10
3	Firearm, Self inflicted	8
4	Suffocation, Unintentional; Fall, Unspecified, Assault; Suffocation,	4
		2
5	Self inflicted; Firearm, Assault	
	Other	5
<b>TOTAL</b>		<b>55</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 WILSON		
Rank	Cause	#
1	Fall, Unintentional	168
2	MVT, Unintentional	80
3	Unspecified, Unintentional	61
4	Poisoning, Self inflicted	50
	Poisoning, Unintentional	30
5		
	Other	171
<b>TOTAL</b>		<b>560</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 WILSON		
Rank	Cause	#
1	Fall, Unintentional	1,414
2	Overexertion, Unintentional	1,194
3	MVT, Unintentional	1,058
4	Unspecified, Unintentional	814
	Struck, Unintentional	458
5		
	Other	1,836
<b>TOTAL</b>		<b>6,774</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 YADKIN		
Rank	Cause	#
1	Poisoning, Unintentional	14
2	MVT, Unintentional	13
3	Firearm, Self inflicted	8
4	Firearm, Assault	4
5	Fall, Unintentional	2
	Other	7
<b>TOTAL</b>		<b>48</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 YADKIN		
Rank	Cause	#
1	Fall, Unintentional	100
2	MVT, Unintentional	71
3	Poisoning, Self inflicted	48
4	Poisoning, Unintentional	35
5	Unspecified, Unintentional	23
	Other	105
<b>TOTAL</b>		<b>382</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 YADKIN		
Rank	Cause	#
1	Fall, Unintentional	818
2	MVT, Unintentional	331
3	Unspecified, Unintentional	305
4	Overexertion, Unintentional	277
5	Struck, Unintentional	256
	Other	851
<b>TOTAL</b>		<b>2,838</b>

Leading Causes of Injury Death AGES 35-64: 2007 to 2009 YANCEY		
Rank	Cause	#
1	Poisoning, Unintentional	6
2	Firearm, Self inflicted	4
	Firearm, Assault	2
3		
4	Poisoning, Self inflicted; MVT,	1
5		
	Other	0
<b>TOTAL</b>		<b>15</b>

Leading Causes of Injury Hospitalization** AGES 35-64: 2007 to 2009 YANCEY		
Rank	Cause	#
1	Fall, Unintentional	53
2	Other spec/class, Unintentional	15
	Poisoning, Unintentional; MVT,	13
3	Unintentional	
4	Unspecified, Unintentional	9
	Poisoning, Self inflicted;	8
	Cut/pierce, Unintentional	
5		
	Other	41
<b>TOTAL</b>		<b>160</b>

Leading Causes of Injury ED Visits** AGES 35-64: 2007 to 2009 YANCEY		
Rank	Cause	#
1	Fall, Unintentional	161
2	MVT, Unintentional	113
	Overexertion, Unintentional	30
3		
4	Struck, Unintentional	25
	Unspecified, Unintentional;	23
	Natural/Environ, Unintentional;	
5	Cut/pierce, Unintentional	
	Other	147
<b>TOTAL</b>		<b>545</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.