

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 ALAMANCE		
Rank	Cause	#
1	Fall, Unintentional	54
2	Unspecified, Unintentional	17
3	MVT, Unintentional	8
4	Suffocation, Unintentional	5
5	Poisoning, Unintentional; Firearm, Other	2 6
<b>TOTAL</b>		<b>94</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 ALAMANCE		
Rank	Cause	#
1	Fall, Unintentional	1,124
2	Unspecified, Unintentional	111
3	MVT, Unintentional	66
4	Poisoning, Unintentional	50
5	Other spec/class, Unintentional Other	46 128
<b>TOTAL</b>		<b>1,525</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 ALAMANCE		
Rank	Cause	#
1	Fall, Unintentional	2,685
2	Unspecified, Unintentional	403
3	MVT, Unintentional	253
4	Natural/Environ, Unintentional	147
5	Cut/pierce, Unintentional Other	137 569
<b>TOTAL</b>		<b>4,194</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 ALEXANDER		
Rank	Cause	#
1	Firearm, Self inflicted	3
2	Unspecified, Unintentional;	2
3	Unspecified, Assault; Suffocation,	1
4		
5	Other	0
<b>TOTAL</b>		<b>16</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 ALEXANDER		
Rank	Cause	#
1	Fall, Unintentional	220
2	Unspecified, Unintentional	26
3	MVT, Unintentional	25
4	Poisoning, Unintentional	10
5	Other spec/class, Unintentional Other	8 37
<b>TOTAL</b>		<b>326</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 ALEXANDER		
Rank	Cause	#
1	Fall, Unintentional	839
2	Unspecified, Unintentional	106
3	MVT, Unintentional	68
4	Struck, Unintentional	65
5	Cut/pierce, Unintentional Other	47 211
<b>TOTAL</b>		<b>1,336</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 ALLEGHANY		
Rank	Cause	#
1	Firearm, Self inflicted	3
2	Unspecified, Unintentional; MVT,	2
3	Suffocation, Unintentional	1
4		
5	Other	0
<b>TOTAL</b>		<b>10</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 ALLEGHANY		
Rank	Cause	#
1	Fall, Unintentional	83
2	Unspecified, Unintentional	11
3	Struck, Unintentional	6
4	MVT, Unintentional	5
5	Natural/Environ, Unintentional Other	2 5
<b>TOTAL</b>		<b>112</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 ALLEGHANY		
Rank	Cause	#
1	Fall, Unintentional	598
2	Unspecified, Unintentional	110
3	Struck, Unintentional	68
4	Overexertion, Unintentional	55
5	Cut/pierce, Unintentional Other	44 184
<b>TOTAL</b>		<b>1,059</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 ANSON		
Rank	Cause	#
1	Fall, Unintentional	9
2	Poisoning, Unintentional; Other	2
3	Unspecified, Unintentional;	1
4		
5		
	Other	0
<b>TOTAL</b>		<b>20</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 ANSON		
Rank	Cause	#
1	Fall, Unintentional	145
2	Unspecified, Unintentional	20
3	Natural/Environ, Unintentional	13
4	Other spec/class, Unintentional	10
5	MVT, Unintentional	9
	Other	22
<b>TOTAL</b>		<b>219</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 ANSON		
Rank	Cause	#
1	Fall, Unintentional	150
2	Unspecified, Unintentional	30
3	MVT, Unintentional	16
4	Overexertion, Unintentional	15
5	Cut/pierce, Unintentional	12
	Other	34
<b>TOTAL</b>		<b>257</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 ASHE		
Rank	Cause	#
1	Unspecified, Unintentional	6
2	MVT, Unintentional; Fall,	4
3	Firearm, Self inflicted	3
4	Suffocation, Unintentional	2
5	Poisoning, Unintentional; Other	1
	Other	0
<b>TOTAL</b>		<b>23</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 ASHE		
Rank	Cause	#
1	Fall, Unintentional	258
2	Unspecified, Unintentional	24
3	Poisoning, Unintentional; Other	10
4	Suffocation, Unintentional	5
5	Transport,other, Unintentional;	4
	Other	18
<b>TOTAL</b>		<b>343</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 ASHE		
Rank	Cause	#
1	Fall, Unintentional	281
2	Overexertion, Unintentional	33
3	Unspecified, Unintentional	28
4	Struck, Unintentional	27
5	MVT, Unintentional	24
	Other	80
<b>TOTAL</b>		<b>473</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 AVERY		
Rank	Cause	#
1	Unspecified, Unintentional; Fall,	5
2	Firearm, Self inflicted	4
3	MVT, Unintentional	3
4	Suffocation, Unintentional	1
5		
	Other	0
<b>TOTAL</b>		<b>18</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 AVERY		
Rank	Cause	#
1	Fall, Unintentional	157
2	Unspecified, Unintentional	12
3	MVT, Unintentional	7
4	Poisoning, Unintentional	5
5	Overexertion, Unintentional	4
	Other	15
<b>TOTAL</b>		<b>200</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 AVERY		
Rank	Cause	#
1	Fall, Unintentional	551
2	Struck, Unintentional	67
3	Cut/pierce, Unintentional	45
4	Overexertion, Unintentional	42
5	MVT, Unintentional	38
	Other	141
<b>TOTAL</b>		<b>884</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 BEAUFORT		
Rank	Cause	#
1	Fall, Unintentional	12
2	MVT, Unintentional	6
3	Unspecified, Unintentional;	5
4	Struck, Unintentional; Other land	1
5	Other	0
<b>TOTAL</b>		<b>37</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 BEAUFORT		
Rank	Cause	#
1	Fall, Unintentional	312
2	Other spec/class, Unintentional	33
3	MVT, Unintentional	21
4	Poisoning, Unintentional	20
5	Unspecified, Unintentional	16
	Other	60
<b>TOTAL</b>		<b>462</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 BEAUFORT		
Rank	Cause	#
1	Fall, Unintentional	1,316
2	Unspecified, Unintentional	243
3	MVT, Unintentional	137
4	Natural/Environ, Unintentional	100
5	Overexertion, Unintentional	99
	Other	426
<b>TOTAL</b>		<b>2,321</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 BERTIE		
Rank	Cause	#
1	Unspecified, Unintentional; MVT,	4
2	Suffocation, Unintentional;	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>16</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 BERTIE		
Rank	Cause	#
1	Fall, Unintentional	99
2	Unspecified, Unintentional	27
3	MVT, Unintentional	14
4	Poisoning, Unintentional	7
	Natural/Environ, Unintentional	6
5	Other	20
<b>TOTAL</b>		<b>173</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 BERTIE		
Rank	Cause	#
1	Fall, Unintentional	314
2	Unspecified, Unintentional	56
3	MVT, Unintentional	53
4	Struck, Unintentional; Cut/pierce, Overexertion, Unintentional;	31
		23
5	Natural/Environ, Unintentional	
	Other	44
<b>TOTAL</b>		<b>575</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 BLADEN		
Rank	Cause	#
1	MVT, Unintentional	7
2	Unspecified, Unintentional; Fall,	2
3	Poisoning, Unintentional;	1
4		
5	Other	0
<b>TOTAL</b>		<b>16</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 BLADEN		
Rank	Cause	#
1	Fall, Unintentional	122
2	Unspecified, Unintentional	31
3	Other spec/class, Unintentional;	11
4	Poisoning, Unintentional	10
5	Natural/Environ, Unintentional	4
	Other	17
<b>TOTAL</b>		<b>206</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 BLADEN		
Rank	Cause	#
1	Fall, Unintentional	797
2	Unspecified, Unintentional	172
3	MVT, Unintentional	94
4	Struck, Unintentional	86
5	Overexertion, Unintentional	71
	Other	258
<b>TOTAL</b>		<b>1,478</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 BRUNSWICK		
Rank	Cause	#
1	Fall, Unintentional	21
2	MVT, Unintentional	13
3	Firearm, Self inflicted	9
4	Suffocation, Unintentional	6
5	Unspecified, Unintentional	3
	Other	4
<b>TOTAL</b>		<b>56</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 BRUNSWICK		
Rank	Cause	#
1	Fall, Unintentional	682
2	Unspecified, Unintentional	87
3	Other spec/class, Unintentional	59
4	MVT, Unintentional	39
5	Poisoning, Unintentional	33
	Other	92
<b>TOTAL</b>		<b>992</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 BRUNSWICK		
Rank	Cause	#
1	Fall, Unintentional	1,845
2	MVT, Unintentional	217
3	Unspecified, Unintentional	187
4	Overexertion, Unintentional	151
5	Struck, Unintentional	147
	Other	488
<b>TOTAL</b>		<b>3,035</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 BUNCOMBE		
Rank	Cause	#
1	Fall, Unintentional	76
2	Unspecified, Unintentional	19
3	MVT, Unintentional	14
4	Firearm, Self inflicted	13
5	Suffocation, Unintentional	12
	Other	13
<b>TOTAL</b>		<b>147</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 BUNCOMBE		
Rank	Cause	#
1	Fall, Unintentional	1,562
2	Unspecified, Unintentional	182
3	Other spec/class, Unintentional	105
4	MVT, Unintentional	81
5	Poisoning, Unintentional	63
	Other	188
<b>TOTAL</b>		<b>2,181</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 BUNCOMBE		
Rank	Cause	#
1	Fall, Unintentional	1,743
2	MVT, Unintentional	195
3	Unspecified, Unintentional	142
4	Struck, Unintentional	63
5	Natural/Environ, Unintentional	61
	Other	265
<b>TOTAL</b>		<b>2,469</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 BURKE		
Rank	Cause	#
1	Fall, Unintentional	20
2	Unspecified, Unintentional	10
3	MVT, Unintentional	8
4	Firearm, Self inflicted	4
	Suffocation, Unintentional; Poisoning, Unintentional; Other spec/NEC, Unintentional; Natural/Environ, Unintentional;	2
5	Fire/Burn, Unintentional Other	3
<b>TOTAL</b>		<b>55</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 BURKE		
Rank	Cause	#
1	Fall, Unintentional	664
2	Unspecified, Unintentional	70
3	MVT, Unintentional	29
4	Poisoning, Unintentional Other spec/class, Unintentional	26
		24
5	Other	84
<b>TOTAL</b>		<b>897</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 BURKE		
Rank	Cause	#
1	Fall, Unintentional	2,015
2	Unspecified, Unintentional	222
3	MVT, Unintentional	184
4	Struck, Unintentional Cut/pierce, Unintentional	152
		136
5	Other	499
<b>TOTAL</b>		<b>3,208</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 CABARRUS		
Rank	Cause	#
1	Fall, Unintentional	75
2	MVT, Unintentional	14
3	Suffocation, Unintentional; Firearm,	13
4	Unspecified, Unintentional	5
5	Poisoning, Unintentional Other	2
		7
<b>TOTAL</b>		<b>129</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 CABARRUS		
Rank	Cause	#
1	Fall, Unintentional	1,364
2	Unspecified, Unintentional	212
3	MVT, Unintentional	79
4	Other spec/class, Unintentional	64
5	Poisoning, Unintentional Other	61
		146
<b>TOTAL</b>		<b>1,926</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 CABARRUS		
Rank	Cause	#
1	Fall, Unintentional	3,172
2	Unspecified, Unintentional	362
3	MVT, Unintentional	280
4	Struck, Unintentional	223
5	Overexertion, Unintentional Other	200
		750
<b>TOTAL</b>		<b>4,987</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 CALDWELL		
Rank	Cause	#
1	Fall, Unintentional	19
2	Suffocation, Unintentional	5
3	Firearm, Self inflicted	4
4	Unspecified, Unintentional	3
	Poisoning, Unintentional; Poisoning, Self inflicted; MVT, Unintentional;	2
5	Firearm, Assault	
	Other	4
<b>TOTAL</b>		<b>43</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 CALDWELL		
Rank	Cause	#
1	Fall, Unintentional	567
2	Unspecified, Unintentional	44
3	Poisoning, Unintentional	22
4	MVT, Unintentional	20
	Other spec/class, Unintentional	14
5	Other	62
<b>TOTAL</b>		<b>729</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 CALDWELL		
Rank	Cause	#
1	Fall, Unintentional	1,612
2	MVT, Unintentional	154
3	Unspecified, Unintentional	145
4	Struck, Unintentional	108
	Cut/pierce, Unintentional	92
5	Other	406
<b>TOTAL</b>		<b>2,517</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 CAMDEN		
Rank	Cause	#
1	Fall, Unintentional	3
2	MVT, Unintentional	2
	Suffocation, Unintentional	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>6</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 CAMDEN		
Rank	Cause	#
1	Fall, Unintentional	17
2	Unspecified, Unintentional	5
	Other spec/notclass, Unintentional; Natural/Environ, Unintentional	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>24</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 CAMDEN		
Rank	Cause	#
1	Fall, Unintentional	20
2	MVT, Unintentional	8
	Unspecified, Unintentional	4
3		
4	Other spec/notclass, Unintentional; Struck, Unintentional; Overexertion,	2
	Unintentional	1
5	Other	0
<b>TOTAL</b>		<b>38</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 CARTERET		
Rank	Cause	#
1	Fall, Unintentional	14
2	MVT, Unintentional	10
3	Unspecified, Unintentional	6
4	Suffocation, Unintentional	5
5	Firearm, Self inflicted	4
	Other	7
<b>TOTAL</b>		<b>46</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 CARTERET		
Rank	Cause	#
1	Fall, Unintentional	562
2	Unspecified, Unintentional	73
3	Poisoning, Unintentional	28
4	MVT, Unintentional	25
5	Other spec/class, Unintentional	24
	Other	89
<b>TOTAL</b>		<b>801</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 CARTERET		
Rank	Cause	#
1	Fall, Unintentional	1,859
2	Unspecified, Unintentional	176
3	MVT, Unintentional	138
4	Overexertion, Unintentional	130
5	Cut/pierce, Unintentional	128
	Other	480
<b>TOTAL</b>		<b>2,911</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 CASWELL		
Rank	Cause	#
1	Fall, Unintentional	7
2	Unspecified, Unintentional	4
3	Suffocation, Unintentional;	2
4	Unspecified, Assault; Other	1
5	Other	0
<b>TOTAL</b>		<b>22</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 CASWELL		
Rank	Cause	#
1	Fall, Unintentional	63
2	Unspecified, Unintentional	7
3	MVT, Unintentional	6
4	Other spec/class, Unintentional	4
5	Fire/Burn, Unintentional	3
	Other	7
<b>TOTAL</b>		<b>90</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 CASWELL		
Rank	Cause	#
1	Fall, Unintentional	140
2	Unspecified, Unintentional;	23
3	Natural/Environ, Unintentional; MVT,	21
4	Struck, Unintentional; Cut/pierce,	17
5	Other spec/class, Unintentional	11
	Other	17
<b>TOTAL</b>		<b>290</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 CATAWBA		
Rank	Cause	#
1	Fall, Unintentional	31
2	Firearm, Self inflicted	16
3	MVT, Unintentional	11
4	Suffocation, Unintentional	10
5	Unspecified, Unintentional	9
	Other	15
<b>TOTAL</b>		<b>92</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 CATAWBA		
Rank	Cause	#
1	Fall, Unintentional	896
2	Unspecified, Unintentional	74
3	Other spec/class, Unintentional	54
4	MVT, Unintentional	52
5	Poisoning, Unintentional	41
	Other	127
<b>TOTAL</b>		<b>1,244</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 CATAWBA		
Rank	Cause	#
1	Fall, Unintentional	3,519
2	Unspecified, Unintentional	371
3	MVT, Unintentional	336
4	Struck, Unintentional	197
5	Cut/pierce, Unintentional	189
	Other	757
<b>TOTAL</b>		<b>5,369</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 CHATHAM		
Rank	Cause	#
1	Unspecified, Unintentional; MVT,	9
2	Suffocation, Unintentional	4
3	Firearm, Self inflicted; Fire/Burn,	3
4	Unspecified, Assault; Poisoning, Self	2
5	Suffocation, Self inflicted; Poisoning, Other	1 0
<b>TOTAL</b>		<b>47</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 CHATHAM		
Rank	Cause	#
1	Fall, Unintentional	333
2	Unspecified, Unintentional	36
3	MVT, Unintentional	22
4	Poisoning, Unintentional	14
5	Natural/Environ, Unintentional Other	13 52
<b>TOTAL</b>		<b>470</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 CHATHAM		
Rank	Cause	#
1	Fall, Unintentional	673
2	Unspecified, Unintentional	73
3	Struck, Unintentional	56
4	MVT, Unintentional	55
5	Cut/pierce, Unintentional Other	54 180
<b>TOTAL</b>		<b>1,091</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 CHEROKEE		
Rank	Cause	#
1	Fall, Unintentional	8
2	Firearm, Self inflicted	6
3	Unspecified, Unintentional	4
4	MVT, Unintentional	3
5	Suffocation, Unintentional; Firearm, Assault Other	1 0 0
<b>TOTAL</b>		<b>23</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 CHEROKEE		
Rank	Cause	#
1	Fall, Unintentional	243
2	Unspecified, Unintentional	37
3	Poisoning, Unintentional	23
4	Other spec/class, Unintentional Struck, Unintentional	13 10
5	Other	38
<b>TOTAL</b>		<b>364</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 CHEROKEE		
Rank	Cause	#
1	Fall, Unintentional	453
2	Unspecified, Unintentional	65
3	MVT, Unintentional	34
4	Struck, Unintentional Overexertion, Unintentional	26 18
5	Other	90
<b>TOTAL</b>		<b>686</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.



Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 CHOWAN		
Rank	Cause	#
1	Unspecified, Unintentional	6
2	Firearm, Self inflicted	3
3	Fall, Unintentional	2
4	Suffocation, Unintentional; Pedal	1
5	Other	0
<b>TOTAL</b>		<b>15</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 CHOWAN		
Rank	Cause	#
1	Fall, Unintentional	96
2	Unspecified, Unintentional	8
3	MVT, Unintentional	6
4	Poisoning, Unintentional; Overexertion, Unintentional; Other spec/notclass, Unintentional; Fire/Burn, Unintentional	3 2
5	Other	2
<b>TOTAL</b>		<b>124</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 CHOWAN		
Rank	Cause	#
1	Fall, Unintentional	371
2	Unspecified, Unintentional	77
3	MVT, Unintentional	29
4	Cut/pierce, Unintentional Natural/Environ, Unintentional	26 24
5	Other	74
<b>TOTAL</b>		<b>601</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 CLAY		
Rank	Cause	#
1	Fall, Unintentional	5
2	Poisoning, Unintentional; Machinery,	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>8</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 CLAY		
Rank	Cause	#
1	Fall, Unintentional	95
2	Poisoning, Unintentional	12
3	Unspecified, Unintentional	10
4	Overexertion, Unintentional Struck, Unintentional; Other	6 5
5	spec/class, Unintentional Other	12
<b>TOTAL</b>		<b>145</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 CLAY		
Rank	Cause	#
1	Fall, Unintentional	139
2	MVT, Unintentional	17
3	Unspecified, Unintentional	15
4	Struck, Unintentional Other spec/class, Unintentional	13 7
5	Other	26
<b>TOTAL</b>		<b>217</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 CLEVELAND		
Rank	Cause	#
1	Fall, Unintentional	29
2	Unspecified, Unintentional	16
3	MVT, Unintentional	9
4	Suffocation, Unintentional; Firearm,	4
5	Suffocation, Self inflicted	3
	Other	9
<b>TOTAL</b>		<b>74</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 CLEVELAND		
Rank	Cause	#
1	Fall, Unintentional	686
2	Unspecified, Unintentional	97
3	MVT, Unintentional	43
4	Other spec/class, Unintentional	38
5	Poisoning, Unintentional	28
	Other	80
<b>TOTAL</b>		<b>972</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 CLEVELAND		
Rank	Cause	#
1	Fall, Unintentional	2,222
2	MVT, Unintentional	264
3	Unspecified, Unintentional	194
4	Struck, Unintentional	180
5	Overexertion, Unintentional	162
	Other	620
<b>TOTAL</b>		<b>3,642</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 COLUMBUS		
Rank	Cause	#
1	MVT, Unintentional	12
2	Suffocation, Unintentional; Fall,	6
3	Unspecified, Unintentional; Firearm,	4
4	Transport,other, Unintentional;	1
5	Other	0
<b>TOTAL</b>		<b>38</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 COLUMBUS		
Rank	Cause	#
1	Fall, Unintentional	328
2	Unspecified, Unintentional	51
3	MVT, Unintentional	25
4	Other spec/class, Unintentional	17
5	Poisoning, Unintentional	13
	Other	55
<b>TOTAL</b>		<b>489</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 COLUMBUS		
Rank	Cause	#
1	Fall, Unintentional	1,382
2	MVT, Unintentional	233
3	Struck, Unintentional	145
4	Unspecified, Unintentional	130
5	Overexertion, Unintentional	110
	Other	340
<b>TOTAL</b>		<b>2,340</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 CRAVEN		
Rank	Cause	#
1	Unspecified, Unintentional	18
2	Fall, Unintentional	13
3	MVT, Unintentional	9
4	Suffocation, Unintentional	8
5	Firearm, Self inflicted	6
	Other	13
<b>TOTAL</b>		<b>67</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 CRAVEN		
Rank	Cause	#
1	Fall, Unintentional	873
2	Unspecified, Unintentional	102
3	Other spec/class, Unintentional	70
4	Poisoning, Unintentional	48
5	MVT, Unintentional	34
	Other	109
<b>TOTAL</b>		<b>1,236</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 CRAVEN		
Rank	Cause	#
1	Fall, Unintentional	1,486
2	Unspecified, Unintentional	214
3	Natural/Environ, Unintentional	149
4	Struck, Unintentional	147
5	Cut/pierce, Unintentional	146
	Other	524
<b>TOTAL</b>		<b>2,666</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 CUMBERLAND		
Rank	Cause	#
1	Fall, Unintentional	28
2	MVT, Unintentional	23
3	Firearm, Self inflicted	12
4	Unspecified, Unintentional	10
	Suffocation, Unintentional; Fire/Burn,	6
5	Unintentional	
	Other	25
<b>TOTAL</b>		<b>110</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 CUMBERLAND		
Rank	Cause	#
1	Fall, Unintentional	1,098
2	Unspecified, Unintentional	266
3	MVT, Unintentional	100
4	Other spec/class, Unintentional	79
	Poisoning, Unintentional	67
5		
	Other	195
<b>TOTAL</b>		<b>1,805</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 CUMBERLAND		
Rank	Cause	#
1	Fall, Unintentional	2,504
2	MVT, Unintentional	458
3	Unspecified, Unintentional	426
4	Struck, Unintentional	145
	Overexertion, Unintentional	135
5		
	Other	662
<b>TOTAL</b>		<b>4,330</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 CURRITUCK		
Rank	Cause	#
1	Unspecified, Unintentional	7
2	Fall, Unintentional	3
3	MVT, Unintentional	2
4	Suffocation, Self inflicted; Firearm,	1
5		
	Other	0
<b>TOTAL</b>		<b>15</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 CURRITUCK		
Rank	Cause	#
1	Fall, Unintentional	45
2	Unspecified, Unintentional	9
3	Poisoning, Unintentional	5
4	Suffocation, Unintentional	2
	Fire/Burn, Unintentional	1
5		
	Other	0
<b>TOTAL</b>		<b>62</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 CURRITUCK		
Rank	Cause	#
1	Fall, Unintentional	55
2	MVT, Unintentional	13
3	Unspecified, Unintentional	11
4	Struck, Unintentional	5
	Overexertion, Unintentional;	4
5	Cut/pierce, Unintentional	
	Other	6
<b>TOTAL</b>		<b>98</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 DARE		
Rank	Cause	#
1	Fall, Unintentional	5
2	Suffocation, Unintentional;	2
3	Transport,other, Unintentional; MVT,	1
4		
5	Other	0
<b>TOTAL</b>		<b>12</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 DARE		
Rank	Cause	#
1	Fall, Unintentional	110
2	Unspecified, Unintentional	5
3	Poisoning, Unintentional	4
	Poisoning, Self inflicted;	2
	Overexertion, Unintentional; Other spec/notclass, Unintentional;	
	MVT, Unintentional	
4	Pedal cyclist,other, Unintentional	1
5	Other	0
<b>TOTAL</b>		<b>128</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 DARE		
Rank	Cause	#
1	Fall, Unintentional	447
2	Cut/pierce, Unintentional	49
3	Struck, Unintentional	45
	Unspecified, Unintentional	41
4	Overexertion, Unintentional;	30
5	Natural/Environ, Unintentional	
	Other	89
<b>TOTAL</b>		<b>731</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 DAVIDSON		
Rank	Cause	#
1	MVT, Unintentional; Fall,	16
2	Firearm, Self inflicted	11
3	Unspecified, Unintentional;	9
4	Natural/Environ, Unintentional;	3
5	Poisoning, Unintentional	2
	Other	4
<b>TOTAL</b>		<b>73</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 DAVIDSON		
Rank	Cause	#
1	Fall, Unintentional	875
2	Unspecified, Unintentional	121
3	MVT, Unintentional	52
4	Other spec/class, Unintentional	44
5	Poisoning, Unintentional	33
	Other	122
<b>TOTAL</b>		<b>1,247</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 DAVIDSON		
Rank	Cause	#
1	Fall, Unintentional	2,689
2	Unspecified, Unintentional	273
3	MVT, Unintentional	213
4	Struck, Unintentional	210
5	Overexertion, Unintentional	171
	Other	735
<b>TOTAL</b>		<b>4,291</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 DAVIE		
Rank	Cause	#
1	Fall, Unintentional	14
2	Unspecified, Unintentional	6
3	MVT, Unintentional	5
4	Poisoning, Self inflicted; Firearm, Suffocation, Unintentional; Other spec/NEC, Unintentional; Firearm,	2 1
5	Assault Other	0
<b>TOTAL</b>		<b>34</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 DAVIE		
Rank	Cause	#
1	Fall, Unintentional	303
2	Unspecified, Unintentional	53
3	Other spec/class, Unintentional	17
4	MVT, Unintentional Poisoning, Unintentional; Fire/Burn, Unintentional	14 10
5	Other	26
<b>TOTAL</b>		<b>433</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 DAVIE		
Rank	Cause	#
1	Fall, Unintentional	644
2	Unspecified, Unintentional	66
3	MVT, Unintentional	48
4	Struck, Unintentional Other spec/class, Unintentional	33 21
5	Other	89
<b>TOTAL</b>		<b>901</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 DUPLIN		
Rank	Cause	#
1	Firearm, Self inflicted	10
2	Unspecified, Unintentional; MVT,	7
3	Fire/Burn, Unintentional	4
4	Suffocation, Unintentional; Other Poisoning, Unintentional; Natural/Environ, Unintentional; Machinery, Unintentional; Drowning,	2 1
5	Unintentional Other	0
<b>TOTAL</b>		<b>43</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 DUPLIN		
Rank	Cause	#
1	Fall, Unintentional	284
2	Unspecified, Unintentional	56
3	MVT, Unintentional	36
4	Other spec/class, Unintentional Poisoning, Unintentional	17 16
5	Other	48
<b>TOTAL</b>		<b>457</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 DUPLIN		
Rank	Cause	#
1	Fall, Unintentional	971
2	Unspecified, Unintentional	182
3	MVT, Unintentional	141
4	Struck, Unintentional Overexertion, Unintentional	50 46
5	Other	234
<b>TOTAL</b>		<b>1,624</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 DURHAM		
Rank	Cause	#
1	Fall, Unintentional	40
2	Unspecified, Unintentional; MVT,	15
3	Suffocation, Unintentional	13
4	Firearm, Self inflicted	6
5	Fire/Burn, Unintentional	5
	Other	12
<b>TOTAL</b>		<b>106</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 DURHAM		
Rank	Cause	#
1	Fall, Unintentional	1,248
2	Unspecified, Unintentional	139
3	MVT, Unintentional	80
4	Poisoning, Unintentional	62
5	Other spec/class, Unintentional	52
	Other	167
<b>TOTAL</b>		<b>1,748</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 DURHAM		
Rank	Cause	#
1	Fall, Unintentional	2,289
2	Struck, Unintentional	302
3	Unspecified, Unintentional	293
4	MVT, Unintentional	249
5	Overexertion, Unintentional	245
	Other	633
<b>TOTAL</b>		<b>4,011</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 EDGEcombe		
Rank	Cause	#
1	Fall, Unintentional	13
2	Firearm, Self inflicted	6
3	MVT, Unintentional	5
4	Unspecified, Unintentional	3
	Natural/Environ, Unintentional	2
5	Other	5
<b>TOTAL</b>		<b>34</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 EDGEcombe		
Rank	Cause	#
1	Fall, Unintentional	219
2	Unspecified, Unintentional	28
3	MVT, Unintentional	26
4	Poisoning, Unintentional	19
	Overexertion, Unintentional; Other	8
5	spec/class, Unintentional	37
	Other	37
<b>TOTAL</b>		<b>345</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 EDGEcombe		
Rank	Cause	#
1	Fall, Unintentional	484
2	Unspecified, Unintentional	70
3	MVT, Unintentional	60
4	Other spec/class, Unintentional	37
	Struck, Unintentional	33
5	Other	130
<b>TOTAL</b>		<b>814</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 FORSYTH		
Rank	Cause	#
1	Fall, Unintentional	57
2	Unspecified, Unintentional	45
3	MVT, Unintentional	18
4	Suffocation, Unintentional	13
5	Firearm, Self inflicted	6
	Other	24
<b>TOTAL</b>		<b>163</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 FORSYTH		
Rank	Cause	#
1	Fall, Unintentional	2,343
2	Unspecified, Unintentional	340
3	MVT, Unintentional	128
4	Other spec/class, Unintentional	75
5	Poisoning, Unintentional	73
	Other	311
<b>TOTAL</b>		<b>3,270</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 FORSYTH		
Rank	Cause	#
1	Fall, Unintentional	5,946
2	Unspecified, Unintentional	806
3	MVT, Unintentional	505
4	Struck, Unintentional	387
5	Overexertion, Unintentional	334
	Other	1,153
<b>TOTAL</b>		<b>9,131</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 FRANKLIN		
Rank	Cause	#
1	MVT, Unintentional	6
2	Suffocation, Unintentional; Fall,	4
3	Unspecified, Unintentional;	2
4	Struck, Unintentional; Machinery,	1
5	Other	0
<b>TOTAL</b>		<b>24</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 FRANKLIN		
Rank	Cause	#
1	Fall, Unintentional	276
2	Unspecified, Unintentional	41
3	Other spec/class, Unintentional	26
4	MVT, Unintentional	23
5	Poisoning, Unintentional	12
	Other	54
<b>TOTAL</b>		<b>432</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 FRANKLIN		
Rank	Cause	#
1	Fall, Unintentional	666
2	Unspecified, Unintentional	119
3	MVT, Unintentional	75
4	Overexertion, Unintentional	61
5	Struck, Unintentional	54
	Other	191
<b>TOTAL</b>		<b>1,166</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 GASTON		
Rank	Cause	#
1	Fall, Unintentional	30
2	MVT, Unintentional	13
3	Unspecified, Unintentional	12
4	Suffocation, Unintentional; Firearm,	10
5	Fire/Burn, Unintentional	3
	Other	14
<b>TOTAL</b>		<b>92</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 GASTON		
Rank	Cause	#
1	Fall, Unintentional	1,520
2	Unspecified, Unintentional	273
3	Poisoning, Unintentional	77
4	MVT, Unintentional	68
5	Other spec/class, Unintentional	58
	Other	148
<b>TOTAL</b>		<b>2,144</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 GASTON		
Rank	Cause	#
1	Fall, Unintentional	1,419
2	Unspecified, Unintentional	173
3	MVT, Unintentional	166
4	Natural/Environ, Unintentional	103
5	Cut/pierce, Unintentional	102
	Other	418
<b>TOTAL</b>		<b>2,381</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 GATES		
Rank	Cause	#
1	MVT, Unintentional	3
2	Natural/Environ, Unintentional; Fall,	2
3	Firearm, Self inflicted	1
4		
5		
	Other	0
<b>TOTAL</b>		<b>8</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 GATES		
Rank	Cause	#
1	Fall, Unintentional	15
2	Unspecified, Unintentional	5
3	Poisoning, Unintentional	2
	Poisoning, Undetermined;	1
	Poisoning, Self inflicted;	
	Overexertion, Unintentional; Other	
	spec/class, Unintentional; MVT,	
	Unintentional; Cut/pierce,	
4	Unintentional	
5		
	Other	0
<b>TOTAL</b>		<b>28</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 GATES		
Rank	Cause	#
1	Fall, Unintentional	54
2	MVT, Unintentional	14
3	Unspecified, Unintentional	9
	Struck, Unintentional	5
4		
5	Natural/Environ, Unintentional	3
	Other	10
<b>TOTAL</b>		<b>95</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 GRAHAM		
Rank	Cause	#
1	Fall, Unintentional	3
2	Other spec/NEC, Unintentional	1
3		
4		
5		
	Other	0
<b>TOTAL</b>		<b>4</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 GRAHAM		
Rank	Cause	#
1	Fall, Unintentional	73
2	Unspecified, Unintentional	12
3	Other spec/class, Unintentional	5
4	Suffocation, Unintentional	4
	Transport,other, Unintentional;	2
5	Struck, Unintentional	
	Other	5
<b>TOTAL</b>		<b>103</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 GRAHAM		
Rank	Cause	#
1	Fall, Unintentional	114
2	Unspecified, Unintentional	18
3	Other spec/notclass, Unintentional	14
4	Struck, Unintentional	12
	MVT, Unintentional	11
5		
	Other	46
<b>TOTAL</b>		<b>215</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.



Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 GRANVILLE		
Rank	Cause	#
1	Fall, Unintentional	9
2	Unspecified, Unintentional; Firearm,	5
3	MVT, Unintentional	3
4	Suffocation, Unintentional	2
	Suffocation, Self inflicted; Struck, Unintentional; Other spec/NEC, Unintentional; Firearm, Unintentional; Firearm, Assault;	1
5	Fire/Burn, Unintentional	
	Other	0
<b>TOTAL</b>		<b>30</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 GRANVILLE		
Rank	Cause	#
1	Fall, Unintentional	335
2	Unspecified, Unintentional	40
3	Other spec/class, Unintentional	17
4	MVT, Unintentional	15
	Poisoning, Unintentional	14
5	Other	57
<b>TOTAL</b>		<b>478</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 GRANVILLE		
Rank	Cause	#
1	Fall, Unintentional	899
2	Overexertion, Unintentional	102
3	MVT, Unintentional	87
4	Unspecified, Unintentional	83
	Struck, Unintentional	67
5	Other	253
<b>TOTAL</b>		<b>1,491</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 GREENE		
Rank	Cause	#
1	MVT, Unintentional; Fall,	5
2	Unspecified, Unintentional	2
3	Suffocation, Unintentional	1
4		
5	Other	0
<b>TOTAL</b>		<b>13</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 GREENE		
Rank	Cause	#
1	Fall, Unintentional	68
2	Unspecified, Unintentional	22
3	MVT, Unintentional	6
4	Poisoning, Unintentional	5
	Struck, Unintentional; Other	3
5	spec/notclass, Unintentional	
	Other	12
<b>TOTAL</b>		<b>119</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 GREENE		
Rank	Cause	#
1	Fall, Unintentional	209
2	Unspecified, Unintentional	41
3	MVT, Unintentional	25
4	Struck, Unintentional	17
	Overexertion, Unintentional	14
5	Other	58
<b>TOTAL</b>		<b>364</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 GUILFORD		
Rank	Cause	#
1	Fall, Unintentional	194
2	MVT, Unintentional	29
3	Firearm, Self inflicted	19
4	Unspecified, Unintentional	12
5	Fire/Burn, Unintentional	10
	Other	28
<b>TOTAL</b>		<b>292</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 GUILFORD		
Rank	Cause	#
1	Fall, Unintentional	3,263
2	Unspecified, Unintentional	288
3	MVT, Unintentional	190
4	Poisoning, Unintentional	88
5	Other spec/class, Unintentional	65
	Other	367
<b>TOTAL</b>		<b>4,261</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 GUILFORD		
Rank	Cause	#
1	Fall, Unintentional	3,943
2	Unspecified, Unintentional	384
3	MVT, Unintentional	332
4	Struck, Unintentional	186
5	Cut/pierce, Unintentional	157
	Other	725
<b>TOTAL</b>		<b>5,727</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 HALIFAX		
Rank	Cause	#
1	MVT, Unintentional	8
2	Fall, Unintentional	6
3	Unspecified, Unintentional; Firearm,	4
4	Suffocation, Unintentional	3
5	Fire/Burn, Unintentional	2
	Other	4
<b>TOTAL</b>		<b>31</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 HALIFAX		
Rank	Cause	#
1	Fall, Unintentional	430
2	Unspecified, Unintentional	48
3	Other spec/class, Unintentional	27
4	MVT, Unintentional	21
5	Poisoning, Unintentional	17
	Other	55
<b>TOTAL</b>		<b>598</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 HALIFAX		
Rank	Cause	#
1	Fall, Unintentional	1,184
2	Unspecified, Unintentional	178
3	MVT, Unintentional	111
4	Natural/Environ, Unintentional	83
5	Struck, Unintentional	82
	Other	301
<b>TOTAL</b>		<b>1,939</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 HARNETT		
Rank	Cause	#
1	Fall, Unintentional	12
2	MVT, Unintentional	11
3	Unspecified, Unintentional	8
4	Suffocation, Unintentional	4
5	Firearm, Self inflicted	3
	Other	6
<b>TOTAL</b>		<b>44</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 HARNETT		
Rank	Cause	#
1	Fall, Unintentional	595
2	Unspecified, Unintentional	99
3	Poisoning, Unintentional	55
4	Other spec/class, Unintentional;	39
5	MVT, Unintentional	32
	Natural/Environ, Unintentional	32
	Other	76
<b>TOTAL</b>		<b>935</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 HARNETT		
Rank	Cause	#
1	Fall, Unintentional	1,278
2	MVT, Unintentional	174
3	Unspecified, Unintentional	155
4	Struck, Unintentional	98
5	Natural/Environ, Unintentional	90
	Other	337
<b>TOTAL</b>		<b>2,132</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 HAYWOOD		
Rank	Cause	#
1	Fall, Unintentional	17
2	MVT, Unintentional	8
3	Firearm, Self inflicted	7
4	Unspecified, Unintentional	6
5	Suffocation, Unintentional	4
	Other	1
<b>TOTAL</b>		<b>43</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 HAYWOOD		
Rank	Cause	#
1	Fall, Unintentional	619
2	Unspecified, Unintentional	113
3	Other spec/class, Unintentional	35
4	MVT, Unintentional	30
5	Natural/Environ, Unintentional	20
	Other	87
<b>TOTAL</b>		<b>904</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 HAYWOOD		
Rank	Cause	#
1	Fall, Unintentional	1,872
2	Unspecified, Unintentional	337
3	MVT, Unintentional	129
4	Cut/pierce, Unintentional	109
5	Overexertion, Unintentional	105
	Other	469
<b>TOTAL</b>		<b>3,021</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 HENDERSON		
Rank	Cause	#
1	Fall, Unintentional	56
2	MVT, Unintentional	12
3	Unspecified, Unintentional	6
4	Firearm, Self inflicted	5
	Suffocation, Unintentional;	4
5	Poisoning, Self inflicted	
	Other	13
<b>TOTAL</b>		<b>100</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 HENDERSON		
Rank	Cause	#
1	Fall, Unintentional	920
2	Unspecified, Unintentional	79
3	MVT, Unintentional	57
4	Poisoning, Unintentional	50
	Other spec/class, Unintentional	44
5	Other	101
<b>TOTAL</b>		<b>1,251</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 HENDERSON		
Rank	Cause	#
1	Fall, Unintentional	1,703
2	Unspecified, Unintentional	203
3	MVT, Unintentional	190
4	Struck, Unintentional	75
	Cut/pierce, Unintentional	60
5	Other	315
<b>TOTAL</b>		<b>2,546</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 HERTFORD		
Rank	Cause	#
1	Fall, Unintentional	5
2	Unspecified, Unintentional;	1
3		
4		
5		
	Other	0
<b>TOTAL</b>		<b>8</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 HERTFORD		
Rank	Cause	#
1	Fall, Unintentional	87
2	Unspecified, Unintentional	32
3	Other spec/class, Unintentional	7
4	Natural/Environ, Unintentional	5
5	Overexertion, Unintentional	4
	Other	7
<b>TOTAL</b>		<b>142</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 HERTFORD		
Rank	Cause	#
1	Fall, Unintentional	342
2	Unspecified, Unintentional; MVT,	35
3	Natural/Environ, Unintentional;	28
4	Struck, Unintentional; Overexertion,	22
5	Other spec/class, Unintentional	12
	Other	29
<b>TOTAL</b>		<b>553</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 HOKE		
Rank	Cause	#
1	MVT, Unintentional	6
2	Firearm, Self inflicted	3
3	Fire/Burn, Unintentional	2
4	Unspecified, Unintentional;	1
5		
	Other	0
<b>TOTAL</b>		<b>14</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 HOKE		
Rank	Cause	#
1	Fall, Unintentional	120
2	Unspecified, Unintentional	18
3	Other spec/class, Unintentional	9
4	MVT, Unintentional	8
5	Poisoning, Unintentional	5
	Other	25
<b>TOTAL</b>		<b>185</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 HOKE		
Rank	Cause	#
1	Fall, Unintentional	272
2	MVT, Unintentional	48
3	Unspecified, Unintentional	27
4	Overexertion, Unintentional	23
5	Struck, Unintentional	20
	Other	69
<b>TOTAL</b>		<b>459</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 HYDE		
Rank	Cause	#
1	Fall, Unintentional	4
2	Unspecified, Unintentional;	1
3		
4		
5		
	Other	0
<b>TOTAL</b>		<b>6</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 HYDE		
Rank	Cause	#
1	Fall, Unintentional	32
2	Unspecified, Unintentional;	2
	Unspecified, Assault; Poisoning,	1
	Unintentional; Poisoning, Self	
	inflicted; Overexertion,	
	Unintentional; Firearm,	
3	Unintentional	
4		
5		
	Other	0
<b>TOTAL</b>		<b>43</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 HYDE		
Rank	Cause	#
1	Fall, Unintentional	125
2	Unspecified, Unintentional	18
	MVT, Unintentional	12
3		
4	Overexertion, Unintentional;	6
5	Natural/Environ, Unintentional	4
	Other	18
<b>TOTAL</b>		<b>189</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 IREDELL		
Rank	Cause	#
1	MVT, Unintentional	15
2	Fall, Unintentional	14
3	Unspecified, Unintentional	13
4	Suffocation, Unintentional	9
5	Firearm, Self inflicted	7
	Other	11
<b>TOTAL</b>		<b>69</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 IREDELL		
Rank	Cause	#
1	Fall, Unintentional	1,184
2	Unspecified, Unintentional	140
3	Other spec/class, Unintentional	83
4	Poisoning, Unintentional	54
5	MVT, Unintentional	51
	Other	199
<b>TOTAL</b>		<b>1,711</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 IREDELL		
Rank	Cause	#
1	Fall, Unintentional	3,487
2	Unspecified, Unintentional	333
3	MVT, Unintentional	297
4	Overexertion, Unintentional	237
5	Struck, Unintentional	234
	Other	677
<b>TOTAL</b>		<b>5,265</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death JACKSON		
Rank	Cause	#
1	Fall, Unintentional	12
2	Firearm, Self inflicted	5
3	Unspecified, Unintentional	2
4	Suffocation, Unintentional; Other	1
5	Other	0
<b>TOTAL</b>		<b>27</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 JACKSON		
Rank	Cause	#
1	Fall, Unintentional	260
2	Unspecified, Unintentional	29
3	Other spec/class, Unintentional;	8
4	Natural/Environ, Unintentional	7
5	Struck, Unintentional; Poisoning, Other	6 27
<b>TOTAL</b>		<b>351</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 JACKSON		
Rank	Cause	#
1	Fall, Unintentional	667
2	Cut/pierce, Unintentional	78
3	Natural/Environ, Unintentional; MVT,	65
4	Struck, Unintentional	64
5	Overexertion, Unintentional Other	54 150
<b>TOTAL</b>		<b>1,143</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 JOHNSTON		
Rank	Cause	#
1	Fall, Unintentional	44
2	MVT, Unintentional	12
3	Suffocation, Unintentional	9
4	Firearm, Self inflicted	5
5	Unspecified, Unintentional Other	4 5
<b>TOTAL</b>		<b>79</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 JOHNSTON		
Rank	Cause	#
1	Fall, Unintentional	867
2	Unspecified, Unintentional	207
3	Other spec/class, Unintentional	72
4	MVT, Unintentional	55
5	Poisoning, Unintentional Other	42 141
<b>TOTAL</b>		<b>1,384</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 JOHNSTON		
Rank	Cause	#
1	Fall, Unintentional	2,447
2	Unspecified, Unintentional	477
3	MVT, Unintentional	283
4	Natural/Environ, Unintentional	188
5	Struck, Unintentional Other	162 654
<b>TOTAL</b>		<b>4,211</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 JONES		
Rank	Cause	#
1	Unspecified, Unintentional	2
2	Suffocation, Unintentional; Firearm,	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>4</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 JONES		
Rank	Cause	#
1	Fall, Unintentional	61
2	Poisoning, Unintentional	8
3	Unspecified, Unintentional	7
4	Natural/Environ, Unintentional	3
	Struck, Unintentional; Other spec/class, Unintentional; MVT, Unintentional; Fire/Burn,	2
5	Unintentional	
	Other	4
<b>TOTAL</b>		<b>91</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 JONES		
Rank	Cause	#
1	Fall, Unintentional	149
2	Unspecified, Unintentional	21
3	Overexertion, Unintentional	16
4	Struck, Unintentional; MVT, Unintentional; Cut/pierce, Unintentional	13
		12
5	Other	29
<b>TOTAL</b>		<b>265</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 LEE		
Rank	Cause	#
1	MVT, Unintentional	8
2	Unspecified, Unintentional	7
3	Suffocation, Unintentional; Fall,	4
4	Firearm, Self inflicted	3
	Poisoning, Unintentional; Fire/Burn,	2
5	Unintentional	
	Other	0
<b>TOTAL</b>		<b>30</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 LEE		
Rank	Cause	#
1	Fall, Unintentional	253
2	Unspecified, Unintentional	35
3	MVT, Unintentional	22
4	Other spec/class, Unintentional	15
	Poisoning, Unintentional	14
5	Other	49
<b>TOTAL</b>		<b>388</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 LEE		
Rank	Cause	#
1	Fall, Unintentional	864
2	Unspecified, Unintentional	125
3	MVT, Unintentional	100
4	Struck, Unintentional	70
	Natural/Environ, Unintentional	67
5	Other	219
<b>TOTAL</b>		<b>1,445</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 LENOIR		
Rank	Cause	#
1	Fall, Unintentional	12
2	MVT, Unintentional	8
3	Unspecified, Unintentional;	4
4	Firearm, Self inflicted	2
	Poisoning, Unintentional; Poisoning, Self inflicted; Other spec/NEC, Unintentional; Natural/Environ, Unintentional; Firearm, Unintentional; Fire/Burn,	1
5	Unintentional Other	0
<b>TOTAL</b>		<b>36</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 LENOIR		
Rank	Cause	#
1	Fall, Unintentional	518
2	Unspecified, Unintentional	113
3	MVT, Unintentional	32
4	Poisoning, Unintentional Other spec/class, Unintentional	21 17
5	Other	59
<b>TOTAL</b>		<b>760</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 LENOIR		
Rank	Cause	#
1	Fall, Unintentional	1,292
2	Unspecified, Unintentional	199
3	Struck, Unintentional	127
4	MVT, Unintentional Overexertion, Unintentional	117 91
5	Other	303
<b>TOTAL</b>		<b>2,129</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 LINCOLN		
Rank	Cause	#
1	Unspecified, Unintentional	6
2	MVT, Unintentional; Fall,	4
3	Suffocation, Unintentional; Firearm,	3
4	Poisoning, Unintentional; Poisoning,	1
5	Other	0
<b>TOTAL</b>		<b>23</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 LINCOLN		
Rank	Cause	#
1	Fall, Unintentional	489
2	Unspecified, Unintentional	58
3	MVT, Unintentional	32
4	Other spec/class, Unintentional	28
5	Poisoning, Unintentional Other	18 55
<b>TOTAL</b>		<b>680</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 LINCOLN		
Rank	Cause	#
1	Fall, Unintentional	1,866
2	Unspecified, Unintentional	195
3	MVT, Unintentional	185
4	Struck, Unintentional	149
5	Overexertion, Unintentional Other	121 379
<b>TOTAL</b>		<b>2,895</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.



Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 McDOWELL		
Rank	Cause	#
1	Fall, Unintentional	12
2	Suffocation, Unintentional	4
3	Poisoning, Unintentional	3
4	Unspecified, Unintentional; MVT, Other spec/NEC, Unintentional;	2
	Other spec/NEC, Assault; Natural/Environ, Unintentional;	1
5	Fire/Burn, Unintentional	
	Other	0
<b>TOTAL</b>		<b>29</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 McDOWELL		
Rank	Cause	#
1	Fall, Unintentional	299
2	Unspecified, Unintentional	30
3	Other spec/class, Unintentional	17
4	MVT, Unintentional	14
	Poisoning, Unintentional	12
5		
	Other	35
<b>TOTAL</b>		<b>407</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 McDOWELL		
Rank	Cause	#
1	Fall, Unintentional	711
2	MVT, Unintentional	62
3	Unspecified, Unintentional	33
4	Overexertion, Unintentional	30
	Struck, Unintentional	27
5		
	Other	111
<b>TOTAL</b>		<b>974</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 MACON		
Rank	Cause	#
1	Fall, Unintentional	15
2	Unspecified, Unintentional;	5
3	Firearm, Self inflicted	3
4	Unspecified, Assault; Poisoning,	1
5		
	Other	0
<b>TOTAL</b>		<b>34</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 MACON		
Rank	Cause	#
1	Fall, Unintentional	274
2	Unspecified, Unintentional	23
3	Other spec/class, Unintentional	20
4	MVT, Unintentional	12
5	Poisoning, Unintentional	8
	Other	30
<b>TOTAL</b>		<b>367</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 MACON		
Rank	Cause	#
1	Fall, Unintentional	979
2	Unspecified, Unintentional	105
3	Natural/Environ, Unintentional	89
4	Struck, Unintentional	84
5	MVT, Unintentional	73
	Other	268
<b>TOTAL</b>		<b>1,598</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 MADISON		
Rank	Cause	#
1	Fall, Unintentional	5
2	MVT, Unintentional	2
3	Suffocation, Unintentional; Firearm,	1
4		
5	Other	0
<b>TOTAL</b>		<b>11</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 MADISON		
Rank	Cause	#
1	Fall, Unintentional	150
2	MVT, Unintentional	9
3	Unspecified, Unintentional	8
	Other spec/notclass, Unintentional	7
4		
5	Other spec/class, Unintentional	6
	Other	19
<b>TOTAL</b>		<b>199</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 MADISON		
Rank	Cause	#
1	Fall, Unintentional	124
2	Unspecified, Unintentional	15
3	MVT, Unintentional	13
	Natural/Environ, Unintentional	11
4		
5	Struck, Unintentional	7
	Other	20
<b>TOTAL</b>		<b>190</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 MARTIN		
Rank	Cause	#
1	Fall, Unintentional	8
2	Unspecified, Unintentional; MVT,	4
3	Firearm, Self inflicted	2
4	Poisoning, Unintentional;	1
5	Other	0
<b>TOTAL</b>		<b>20</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 MARTIN		
Rank	Cause	#
1	Fall, Unintentional	144
2	Unspecified, Unintentional	82
3	Natural/Environ, Unintentional	14
4	Other spec/class, Unintentional	12
5	Poisoning, Unintentional	11
	Other	29
<b>TOTAL</b>		<b>292</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 MARTIN		
Rank	Cause	#
1	Fall, Unintentional	456
2	Unspecified, Unintentional	166
3	MVT, Unintentional	62
4	Natural/Environ, Unintentional	43
5	Other spec/class, Unintentional	38
	Other	155
<b>TOTAL</b>		<b>920</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 MECKLENBURG		
Rank	Cause	#
1	Fall, Unintentional	81
2	Unspecified, Unintentional	55
3	MVT, Unintentional	32
4	Suffocation, Unintentional	20
5	Firearm, Self inflicted	16
	Other	38
<b>TOTAL</b>		<b>242</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 MECKLENBURG		
Rank	Cause	#
1	Fall, Unintentional	3,827
2	Unspecified, Unintentional	542
3	Other spec/class, Unintentional	243
4	MVT, Unintentional	202
5	Poisoning, Unintentional	181
	Other	420
<b>TOTAL</b>		<b>5,415</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 MECKLENBURG		
Rank	Cause	#
1	Fall, Unintentional	10,559
2	Unspecified, Unintentional	1,372
3	MVT, Unintentional	1,146
4	Struck, Unintentional	639
5	Overexertion, Unintentional	550
	Other	2,268
<b>TOTAL</b>		<b>16,534</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 MITCHELL		
Rank	Cause	#
1	Suffocation, Unintentional; Fall,	4
2	Poisoning, Unintentional	2
3	Unspecified, Unintentional;	1
4		
5	Other	0
<b>TOTAL</b>		<b>13</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 MITCHELL		
Rank	Cause	#
1	Fall, Unintentional	179
2	Unspecified, Unintentional	13
3	Poisoning, Unintentional	8
4	Other spec/class, Unintentional	7
5	Natural/Environ, Unintentional	6
	Other	22
<b>TOTAL</b>		<b>235</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 MITCHELL		
Rank	Cause	#
1	Fall, Unintentional	254
2	MVT, Unintentional	20
3	Unspecified, Unintentional	12
4	Struck, Unintentional	11
5	Natural/Environ, Unintentional	10
	Other	46
<b>TOTAL</b>		<b>353</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 MONTGOMERY		
Rank	Cause	#
1	Fall, Unintentional	7
2	Unspecified, Unintentional	5
3	Suffocation, Unintentional;	1
4		
5	Other	0
<b>TOTAL</b>		<b>18</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 MONTGOMERY		
Rank	Cause	#
1	Fall, Unintentional	191
2	Unspecified, Unintentional	13
3	MVT, Unintentional	10
4	Other spec/class, Unintentional	7
	Poisoning, Unintentional; Other	6
5	spec/notclass, Unintentional	
	Other	22
<b>TOTAL</b>		<b>255</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 MONTGOMERY		
Rank	Cause	#
1	Fall, Unintentional	373
2	MVT, Unintentional	33
3	Unspecified, Unintentional	31
4	Struck, Unintentional	30
	Natural/Environ, Unintentional	27
5	Other	83
<b>TOTAL</b>		<b>577</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 MOORE		
Rank	Cause	#
1	Unspecified, Unintentional; Fall,	22
2	Firearm, Self inflicted	11
3	MVT, Unintentional	10
4	Firearm, Assault	7
	Poisoning, Unintentional; Fire/Burn,	3
5	Unintentional	
	Other	8
<b>TOTAL</b>		<b>86</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 MOORE		
Rank	Cause	#
1	Fall, Unintentional	926
2	Unspecified, Unintentional	54
3	MVT, Unintentional	41
4	Poisoning, Unintentional	37
	Natural/Environ, Unintentional	24
5	Other	96
<b>TOTAL</b>		<b>1,178</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 MOORE		
Rank	Cause	#
1	Fall, Unintentional	2,294
2	MVT, Unintentional	210
3	Struck, Unintentional	154
4	Cut/pierce, Unintentional	141
	Unspecified, Unintentional	136
5	Other	462
<b>TOTAL</b>		<b>3,397</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 NASH		
Rank	Cause	#
1	Fall, Unintentional	13
2	Unspecified, Unintentional	12
3	MVT, Unintentional	11
4	Firearm, Self inflicted	6
5	Suffocation, Unintentional	4
	Other	5
<b>TOTAL</b>		<b>51</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 NASH		
Rank	Cause	#
1	Fall, Unintentional	648
2	Unspecified, Unintentional	84
3	MVT, Unintentional	41
4	Other spec/class, Unintentional	36
5	Poisoning, Unintentional	33
	Other	99
<b>TOTAL</b>		<b>941</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 NASH		
Rank	Cause	#
1	Fall, Unintentional	297
2	Unspecified, Unintentional	61
3	MVT, Unintentional	42
4	Overexertion, Unintentional	38
5	Cut/pierce, Unintentional	28
	Other	95
<b>TOTAL</b>		<b>561</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 NEW HANOVER		
Rank	Cause	#
1	Fall, Unintentional	23
2	Unspecified, Unintentional	14
3	Firearm, Self inflicted	10
4	MVT, Unintentional	9
5	Suffocation, Unintentional	8
	Other	11
<b>TOTAL</b>		<b>75</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 NEW HANOVER		
Rank	Cause	#
1	Fall, Unintentional	1,055
2	Unspecified, Unintentional	114
3	Other spec/class, Unintentional	65
4	Poisoning, Unintentional	61
5	MVT, Unintentional	39
	Other	139
<b>TOTAL</b>		<b>1,473</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 NEW HANOVER		
Rank	Cause	#
1	Fall, Unintentional	3,561
2	MVT, Unintentional	406
3	Unspecified, Unintentional	351
4	Overexertion, Unintentional	184
5	Struck, Unintentional	170
	Other	715
<b>TOTAL</b>		<b>5,387</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 NORTHAMPTON		
Rank	Cause	#
1	MVT, Unintentional	3
2	Fire/Burn, Unintentional	2
3	Unspecified, Unintentional;	1
4		
5	Other	0
<b>TOTAL</b>		<b>9</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 NORTHAMPTON		
Rank	Cause	#
1	Fall, Unintentional	162
2	Unspecified, Unintentional	28
3	MVT, Unintentional	11
	Overexertion, Unintentional; Other	7
4	spec/class, Unintentional	
5	Poisoning, Unintentional	6
	Other	20
<b>TOTAL</b>		<b>241</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 NORTHAMPTON		
Rank	Cause	#
1	Fall, Unintentional	615
2	Unspecified, Unintentional	67
3	MVT, Unintentional	50
	Struck, Unintentional	35
4		
5	Other spec/notclass, Unintentional	31
	Other	159
<b>TOTAL</b>		<b>957</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 ONslow		
Rank	Cause	#
1	Fall, Unintentional	19
2	MVT, Unintentional	8
3	Suffocation, Unintentional	6
4	Unspecified, Unintentional	5
	Poisoning, Unintentional; Firearm, Self inflicted; Fire/Burn, Unintentional	3
5	Other	5
<b>TOTAL</b>		<b>52</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 ONslow		
Rank	Cause	#
1	Fall, Unintentional	378
2	Unspecified, Unintentional	88
3	MVT, Unintentional	39
4	Poisoning, Unintentional	36
	Other spec/class, Unintentional	21
5	Other	67
<b>TOTAL</b>		<b>629</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 ONslow		
Rank	Cause	#
1	Fall, Unintentional	1,928
2	Unspecified, Unintentional	272
3	MVT, Unintentional	249
4	Natural/Environ, Unintentional	115
	Cut/pierce, Unintentional	104
5	Other	543
<b>TOTAL</b>		<b>3,211</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 ORANGE		
Rank	Cause	#
1	Fall, Unintentional	13
2	MVT, Unintentional	6
3	Unspecified, Unintentional	4
4	Firearm, Self inflicted	3
	Suffocation, Unintentional;	1
	Suffocation, Self inflicted; Poisoning,	
	Undetermined; Other spec/NEC,	
	Unintentional; Fire/Burn,	
5	Unintentional	
	Other	0
<b>TOTAL</b>		<b>31</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 ORANGE		
Rank	Cause	#
1	Fall, Unintentional	671
2	Unspecified, Unintentional	78
3	MVT, Unintentional	40
4	Poisoning, Unintentional	32
	Other spec/class, Unintentional	31
5		
	Other	90
<b>TOTAL</b>		<b>942</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 ORANGE		
Rank	Cause	#
1	Fall, Unintentional	1,406
2	Unspecified, Unintentional	151
3	MVT, Unintentional	104
4	Cut/pierce, Unintentional	87
	Struck, Unintentional	82
5		
	Other	332
<b>TOTAL</b>		<b>2,162</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 PAMLICO		
Rank	Cause	#
1	Fall, Unintentional	6
2	MVT, Unintentional	4
3	Unspecified, Unintentional; Firearm,	2
4		
5		
	Other	0
<b>TOTAL</b>		<b>14</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 PAMLICO		
Rank	Cause	#
1	Fall, Unintentional	96
2	Unspecified, Unintentional	15
3	Other spec/class, Unintentional	14
4	MVT, Unintentional	11
	Poisoning, Unintentional;	5
5	Natural/Environ, Unintentional	
	Other	9
<b>TOTAL</b>		<b>155</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 PAMLICO		
Rank	Cause	#
1	Fall, Unintentional	139
2	MVT, Unintentional	20
3	Natural/Environ, Unintentional;	16
4	Unspecified, Unintentional	15
	Other spec/class, Unintentional	14
5		
	Other	36
<b>TOTAL</b>		<b>256</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 PASQUOTANK		
Rank	Cause	#
1	Unspecified, Unintentional	8
2	Fall, Unintentional	6
3	Poisoning, Unintentional; Firearm,	2
4	Transport,other, Unintentional;	1
5	Other	0
<b>TOTAL</b>		<b>23</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 PASQUOTANK		
Rank	Cause	#
1	Fall, Unintentional	227
2	Unspecified, Unintentional	31
3	MVT, Unintentional	10
4	Poisoning, Unintentional	8
5	Natural/Environ, Unintentional	5
	Other	18
<b>TOTAL</b>		<b>299</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 PASQUOTANK		
Rank	Cause	#
1	Fall, Unintentional	99
2	MVT, Unintentional	37
3	Unspecified, Unintentional	17
4	Natural/Environ, Unintentional	6
5	Struck, Unintentional	5
	Other	22
<b>TOTAL</b>		<b>186</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 PENDER		
Rank	Cause	#
1	Fall, Unintentional	6
2	Unspecified, Unintentional;	5
3	Transport,other, Unintentional;	1
4		
5	Other	0
<b>TOTAL</b>		<b>27</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 PENDER		
Rank	Cause	#
1	Fall, Unintentional	204
2	Unspecified, Unintentional	34
3	Other spec/class, Unintentional	16
4	MVT, Unintentional	15
	Poisoning, Unintentional; Other	6
5	spec/notclass, Unintentional	
	Other	20
<b>TOTAL</b>		<b>301</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 PENDER		
Rank	Cause	#
1	Fall, Unintentional	578
2	MVT, Unintentional	93
3	Unspecified, Unintentional	85
4	Other spec/class, Unintentional	28
	Overexertion, Unintentional	24
5	Other	97
<b>TOTAL</b>		<b>905</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 PERQUIMANS		
Rank	Cause	#
1	MVT, Unintentional; Fall,	3
2	Unspecified, Unintentional;	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>10</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 PERQUIMANS		
Rank	Cause	#
1	Fall, Unintentional	65
2	Unspecified, Unintentional Poisoning, Unintentional;	15 5
3	Natural/Environ, Unintentional	3
4	Other spec/class, Unintentional Overexertion, Unintentional; MVT, Unintentional; Cut/pierce,	2 2
5	Unintentional Other	4 4
<b>TOTAL</b>		<b>103</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 PERQUIMANS		
Rank	Cause	#
1	Fall, Unintentional	103
2	Unspecified, Unintentional MVT, Unintentional	22 14
3		
4	Cut/pierce, Unintentional Struck, Unintentional; Natural/Environ, Unintentional	11 8
5	Other	21
<b>TOTAL</b>		<b>187</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 PERSON		
Rank	Cause	#
1	Fall, Unintentional	5
2	Suffocation, Unintentional; MVT,	4
3	Unspecified, Unintentional	3
4	Firearm, Self inflicted Natural/Environ, Unintentional;	2 1
5	Fire/Burn, Unintentional Other	0 0
<b>TOTAL</b>		<b>20</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 PERSON		
Rank	Cause	#
1	Fall, Unintentional	298
2	Unspecified, Unintentional	52
3	MVT, Unintentional	18
4	Natural/Environ, Unintentional Poisoning, Unintentional	14 12
5	Other	53
<b>TOTAL</b>		<b>447</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 PERSON		
Rank	Cause	#
1	Fall, Unintentional	951
2	Unspecified, Unintentional	136
3	Overexertion, Unintentional	124
4	Cut/pierce, Unintentional Natural/Environ, Unintentional; MVT,	89 81
5	Unintentional Other	195 195
<b>TOTAL</b>		<b>1,657</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.



Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 PITT		
Rank	Cause	#
1	Fall, Unintentional	34
2	MVT, Unintentional	8
3	Unspecified, Unintentional	6
4	Firearm, Self inflicted; Fire/Burn,	3
5	Suffocation, Unintentional	2
	Other	4
<b>TOTAL</b>		<b>60</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 PITT		
Rank	Cause	#
1	Fall, Unintentional	609
2	MVT, Unintentional	64
3	Poisoning, Unintentional	32
4	Unspecified, Unintentional	29
5	Natural/Environ, Unintentional	13
	Other	72
<b>TOTAL</b>		<b>819</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 PITT		
Rank	Cause	#
1	Fall, Unintentional	1,284
2	MVT, Unintentional	178
3	Unspecified, Unintentional	120
4	Struck, Unintentional	95
5	Cut/pierce, Unintentional	74
	Other	301
<b>TOTAL</b>		<b>2,052</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 POLK		
Rank	Cause	#
1	Fall, Unintentional	7
2	Unspecified, Unintentional	5
3	Drowning, Unintentional	3
	Firearm, Self inflicted	2
4	Struck, Unintentional; Other land transport, Unintentional;	1
5	Natural/Environ, Unintentional	0
	Other	0
<b>TOTAL</b>		<b>20</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 POLK		
Rank	Cause	#
1	Fall, Unintentional	232
2	Unspecified, Unintentional	12
3	Poisoning, Unintentional	8
	Other spec/notclass, Unintentional; MVT, Unintentional	6
4	Struck, Unintentional; Poisoning, Undetermined; Natural/Environ, Unintentional	4
5	Other	13
<b>TOTAL</b>		<b>289</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 POLK		
Rank	Cause	#
1	Fall, Unintentional	353
2	MVT, Unintentional	25
3	Struck, Unintentional	23
	Unspecified, Unintentional	20
4	Cut/pierce, Unintentional	18
5	Other	58
<b>TOTAL</b>		<b>497</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 RANDOLPH		
Rank	Cause	#
1	Fall, Unintentional	47
2	MVT, Unintentional	15
3	Firearm, Self inflicted	12
4	Unspecified, Unintentional	6
	Unspecified, Assault; Suffocation, Unintentional; Suffocation, Self inflicted; Poisoning, Unintentional; Natural/Environ, Unintentional; Machinery, Unintentional; Firearm,	2
5	Assault	
	Other	4
<b>TOTAL</b>		<b>98</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 RANDOLPH		
Rank	Cause	#
1	Fall, Unintentional	998
2	Unspecified, Unintentional	99
3	MVT, Unintentional	60
4	Poisoning, Unintentional	38
	Other spec/class, Unintentional	36
5	Other	134
<b>TOTAL</b>		<b>1,365</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 RANDOLPH		
Rank	Cause	#
1	Fall, Unintentional	3,279
2	Unspecified, Unintentional	309
3	MVT, Unintentional	296
4	Struck, Unintentional	158
	Natural/Environ, Unintentional	137
5	Other	666
<b>TOTAL</b>		<b>4,845</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 RICHMOND		
Rank	Cause	#
1	MVT, Unintentional	8
2	Unspecified, Unintentional; Fall,	5
3	Firearm, Self inflicted	3
4	Suffocation, Unintentional;	1
5	Other	0
<b>TOTAL</b>		<b>26</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 RICHMOND		
Rank	Cause	#
1	Fall, Unintentional	364
2	Unspecified, Unintentional	44
3	Poisoning, Unintentional	22
4	MVT, Unintentional	20
5	Other spec/class, Unintentional	17
	Other	45
<b>TOTAL</b>		<b>512</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 RICHMOND		
Rank	Cause	#
1	Fall, Unintentional	810
2	MVT, Unintentional	114
3	Unspecified, Unintentional	88
4	Overexertion, Unintentional	56
5	Cut/pierce, Unintentional	49
	Other	196
<b>TOTAL</b>		<b>1,313</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 ROBESON		
Rank	Cause	#
1	Fall, Unintentional	16
2	MVT, Unintentional	14
3	Unspecified, Unintentional;	6
4	Fire/Burn, Unintentional	4
	Unspecified, Assault; Poisoning, Self inflicted; Natural/Environ,	2
5	Unintentional; Cut/pierce, Assault Other	3
<b>TOTAL</b>		<b>63</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 ROBESON		
Rank	Cause	#
1	Fall, Unintentional	375
2	Unspecified, Unintentional	293
3	MVT, Unintentional	61
4	Poisoning, Unintentional	49
	Other spec/class, Unintentional	26
5	Other	85
<b>TOTAL</b>		<b>889</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 ROBESON		
Rank	Cause	#
1	Fall, Unintentional	2,086
2	MVT, Unintentional	405
3	Unspecified, Unintentional	341
4	Struck, Unintentional	149
	Overexertion, Unintentional	130
5	Other	566
<b>TOTAL</b>		<b>3,677</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 ROCKINGHAM		
Rank	Cause	#
1	Fall, Unintentional	27
2	Unspecified, Unintentional	12
3	MVT, Unintentional	8
4	Firearm, Self inflicted; Fire/Burn, Other land transport, Unintentional;	6
	Natural/Environ, Unintentional; Cut/pierce, Unintentional	2
5	Other	6
<b>TOTAL</b>		<b>71</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 ROCKINGHAM		
Rank	Cause	#
1	Fall, Unintentional	999
2	Unspecified, Unintentional	95
3	Other spec/class, Unintentional	57
4	Poisoning, Unintentional	44
	MVT, Unintentional	36
5	Other	133
<b>TOTAL</b>		<b>1,364</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 ROCKINGHAM		
Rank	Cause	#
1	Fall, Unintentional	1,724
2	Unspecified, Unintentional	241
3	Natural/Environ, Unintentional	149
4	MVT, Unintentional	138
	Other spec/class, Unintentional	124
5	Other	425
<b>TOTAL</b>		<b>2,801</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 ROWAN		
Rank	Cause	#
1	Fall, Unintentional	45
2	MVT, Unintentional	12
3	Unspecified, Unintentional	11
4	Suffocation, Unintentional	6
5	Firearm, Self inflicted	5
	Other	8
<b>TOTAL</b>		<b>87</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 ROWAN		
Rank	Cause	#
1	Fall, Unintentional	942
2	Unspecified, Unintentional	210
3	Other spec/class, Unintentional	74
4	MVT, Unintentional	48
5	Poisoning, Unintentional	36
	Other	103
<b>TOTAL</b>		<b>1,413</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 ROWAN		
Rank	Cause	#
1	Fall, Unintentional	2,503
2	Unspecified, Unintentional	320
3	MVT, Unintentional	242
4	Cut/pierce, Unintentional	143
5	Struck, Unintentional	128
	Other	539
<b>TOTAL</b>		<b>3,875</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 RUTHERFORD		
Rank	Cause	#
1	Fall, Unintentional	11
2	MVT, Unintentional	6
3	Firearm, Self inflicted	3
4	Suffocation, Unintentional; Fire/Burn, Unspecified, Unintentional;	2
5	Poisoning, Unintentional; Natural/Environ, Unintentional; Machinery, Unintentional	1
	Other	0
<b>TOTAL</b>		<b>28</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 RUTHERFORD		
Rank	Cause	#
1	Fall, Unintentional	557
2	Unspecified, Unintentional; Other spec/class, Unintentional	43
3	Poisoning, Unintentional	39
4	MVT, Unintentional Overexertion, Unintentional	32
5	Other	15
		63
<b>TOTAL</b>		<b>792</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 RUTHERFORD		
Rank	Cause	#
1	Fall, Unintentional	2,055
2	Unspecified, Unintentional	277
3	MVT, Unintentional	165
4	Other spec/class, Unintentional Struck, Unintentional	154
5	Other	140
		528
<b>TOTAL</b>		<b>3,319</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 SAMPSON		
Rank	Cause	#
1	Fall, Unintentional	17
2	MVT, Unintentional	9
3	Unspecified, Unintentional; Firearm,	3
4	Transport,other, Unintentional;	1
5	Other	0
<b>TOTAL</b>		<b>36</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 SAMPSON		
Rank	Cause	#
1	Fall, Unintentional	338
2	Unspecified, Unintentional	93
3	MVT, Unintentional	48
4	Other spec/class, Unintentional	33
5	Poisoning, Unintentional	19
	Other	68
<b>TOTAL</b>		<b>599</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 SAMPSON		
Rank	Cause	#
1	Fall, Unintentional	1,248
2	Unspecified, Unintentional	320
3	MVT, Unintentional	185
4	Struck, Unintentional	83
5	Natural/Environ, Unintentional	77
	Other	319
<b>TOTAL</b>		<b>2,232</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 SCOTLAND		
Rank	Cause	#
1	Fall, Unintentional	7
2	MVT, Unintentional	3
3	Other spec/NEC, Unintentional;	1
4		
5	Other	0
<b>TOTAL</b>		<b>13</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 SCOTLAND		
Rank	Cause	#
1	Fall, Unintentional	237
2	Unspecified, Unintentional	25
3	MVT, Unintentional	19
4	Poisoning, Unintentional	14
	Other spec/class, Unintentional;	7
5	Natural/Environ, Unintentional	
	Other	29
<b>TOTAL</b>		<b>338</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 SCOTLAND		
Rank	Cause	#
1	Fall, Unintentional	779
2	Unspecified, Unintentional	106
3	MVT, Unintentional	93
4	Struck, Unintentional	59
	Overexertion, Unintentional	54
5	Other	214
<b>TOTAL</b>		<b>1,305</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 STANLY		
Rank	Cause	#
1	Unspecified, Unintentional; MVT,	9
2	Firearm, Self inflicted	3
3	Suffocation, Unintentional;	2
4	Suffocation, Self inflicted; Poisoning,	1
5	Other	0
<b>TOTAL</b>		<b>40</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 STANLY		
Rank	Cause	#
1	Fall, Unintentional	478
2	Unspecified, Unintentional	56
3	MVT, Unintentional	27
4	Other spec/class, Unintentional Struck, Unintentional; Poisoning,	21 10
5	Unintentional Other	40
<b>TOTAL</b>		<b>642</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 STANLY		
Rank	Cause	#
1	Fall, Unintentional	304
2	MVT, Unintentional	34
3	Unspecified, Unintentional	31
4	Natural/Environ, Unintentional Overexertion, Unintentional	26 19
5	Other	70
<b>TOTAL</b>		<b>484</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 STOKES		
Rank	Cause	#
1	Fall, Unintentional	10
2	Unspecified, Unintentional	7
3	MVT, Unintentional	6
4	Suffocation, Unintentional;	1
5	Other	0
<b>TOTAL</b>		<b>32</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 STOKES		
Rank	Cause	#
1	Fall, Unintentional	370
2	Unspecified, Unintentional	52
3	MVT, Unintentional	16
4	Poisoning, Unintentional Struck, Unintentional; Overexertion, Unintentional; Other	11 8
5	spec/class, Unintentional Other	32
<b>TOTAL</b>		<b>505</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 STOKES		
Rank	Cause	#
1	Fall, Unintentional	1,046
2	Unspecified, Unintentional	149
3	Cut/pierce, Unintentional	85
4	Struck, Unintentional Other spec/class, Unintentional	84 71
5	Other	239
<b>TOTAL</b>		<b>1,674</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 SURRY		
Rank	Cause	#
1	Fall, Unintentional	14
2	Suffocation, Unintentional	10
3	Unspecified, Unintentional	8
4	MVT, Unintentional	7
5	Firearm, Self inflicted	6
	Other	7
<b>TOTAL</b>		<b>52</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 SURRY		
Rank	Cause	#
1	Fall, Unintentional	788
2	Unspecified, Unintentional	95
3	MVT, Unintentional	37
4	Poisoning, Unintentional	33
5	Other spec/class, Unintentional	21
	Other	88
<b>TOTAL</b>		<b>1,062</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 SURRY		
Rank	Cause	#
1	Fall, Unintentional	2,054
2	Unspecified, Unintentional	311
3	MVT, Unintentional	206
4	Overexertion, Unintentional	149
5	Cut/pierce, Unintentional	125
	Other	522
<b>TOTAL</b>		<b>3,367</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 SWAIN		
Rank	Cause	#
1	Fall, Unintentional	4
2	Suffocation, Unintentional	2
3	MVT, Unintentional; Firearm, Self	1
4		
5	Other	0
<b>TOTAL</b>		<b>8</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 SWAIN		
Rank	Cause	#
1	Fall, Unintentional	123
2	Unspecified, Unintentional	25
3	MVT, Unintentional	8
4	Other spec/class, Unintentional	7
	Other spec/notclass, Unintentional; Natural/Environ, Unintentional	6
5	Other	15
<b>TOTAL</b>		<b>190</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 SWAIN		
Rank	Cause	#
1	Fall, Unintentional	340
2	Unspecified, Unintentional	48
3	Cut/pierce, Unintentional	44
4	Natural/Environ, Unintentional Struck, Unintentional; Overexertion, Unintentional	43
5	Other	30
	Other	95
<b>TOTAL</b>		<b>630</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 TRANSYLVANIA		
Rank	Cause	#
1	Fall, Unintentional	7
2	Unspecified, Unintentional	6
3	Firearm, Self inflicted	3
4	Suffocation, Self inflicted; Poisoning,	1
5	Other	0
<b>TOTAL</b>		<b>23</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 TRANSYLVANIA		
Rank	Cause	#
1	Fall, Unintentional	320
2	Unspecified, Unintentional	26
3	Other spec/class, Unintentional	19
4	Poisoning, Unintentional	16
5	Overexertion, Unintentional	10
	Other	50
<b>TOTAL</b>		<b>441</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 TRANSYLVANIA		
Rank	Cause	#
1	Fall, Unintentional	1,442
2	Unspecified, Unintentional	285
3	Struck, Unintentional	182
4	Overexertion, Unintentional	149
5	Cut/pierce, Unintentional	137
	Other	354
<b>TOTAL</b>		<b>2,549</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 TYRRELL		
Rank	Cause	#
1	MVT, Unintentional	3
2	Firearm, Self inflicted; Drowning,	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>5</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 TYRRELL		
Rank	Cause	#
1	Fall, Unintentional	22
2	Unspecified, Unintentional;	2
3		
4		
5	Other	0
<b>TOTAL</b>		<b>26</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 TYRRELL		
Rank	Cause	#
1	Fall, Unintentional	56
2	Unspecified, Unintentional	10
3	Overexertion, Unintentional	8
4	Other spec/class, Unintentional	6
	Other spec/notclass, Unintentional;	4
	Natural/Environ, Unintentional; MVT,	
5	Unintentional	
	Other	7
<b>TOTAL</b>		<b>99</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.



Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 UNION		
Rank	Cause	#
1	Fall, Unintentional	23
2	MVT, Unintentional	11
3	Unspecified, Unintentional; Firearm,	5
4	Poisoning, Self inflicted	3
	Suffocation, Unintentional; Other	2
5	spec/NEC, Unintentional; Other land transport, Unintentional	
	Other	5
<b>TOTAL</b>		<b>58</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 UNION		
Rank	Cause	#
1	Fall, Unintentional	798
2	Unspecified, Unintentional	103
3	Other spec/class, Unintentional	63
4	MVT, Unintentional	55
	Poisoning, Unintentional	38
5	Other	117
<b>TOTAL</b>		<b>1,174</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 UNION		
Rank	Cause	#
1	Fall, Unintentional	2,017
2	Unspecified, Unintentional	297
3	MVT, Unintentional	235
4	Overexertion, Unintentional	143
	Cut/pierce, Unintentional	141
5	Other	499
<b>TOTAL</b>		<b>3,332</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 VANCE		
Rank	Cause	#
1	Fall, Unintentional	8
2	Unspecified, Unintentional	6
3	Natural/Environ, Unintentional; MVT,	2
4	Suffocation, Unintentional;	1
5	Other	0
<b>TOTAL</b>		<b>26</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 VANCE		
Rank	Cause	#
1	Fall, Unintentional	293
2	Unspecified, Unintentional	30
3	MVT, Unintentional	14
4	Other spec/class, Unintentional	12
5	Poisoning, Unintentional	11
	Other	37
<b>TOTAL</b>		<b>397</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 VANCE		
Rank	Cause	#
1	Fall, Unintentional	356
2	MVT, Unintentional	65
3	Unspecified, Unintentional	29
4	Struck, Unintentional	27
5	Overexertion, Unintentional	23
	Other	74
<b>TOTAL</b>		<b>574</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 WAKE		
Rank	Cause	#
1	Fall, Unintentional	115
2	Unspecified, Unintentional	26
3	Firearm, Self inflicted	20
4	MVT, Unintentional	19
5	Suffocation, Unintentional	17
	Other	27
<b>TOTAL</b>		<b>224</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 WAKE		
Rank	Cause	#
1	Fall, Unintentional	3,268
2	Unspecified, Unintentional	421
3	Other spec/class, Unintentional	267
4	MVT, Unintentional	167
5	Poisoning, Unintentional	138
	Other	475
<b>TOTAL</b>		<b>4,736</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 WAKE		
Rank	Cause	#
1	Fall, Unintentional	8,691
2	Unspecified, Unintentional	1,057
3	MVT, Unintentional	897
4	Struck, Unintentional	703
5	Natural/Environ, Unintentional	523
	Other	2,200
<b>TOTAL</b>		<b>14,071</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 WARREN		
Rank	Cause	#
1	Unspecified, Unintentional; Fall,	4
2	Firearm, Self inflicted	3
3	MVT, Unintentional	2
4	Poisoning, Unintentional; Machinery,	1
5	Other	0
<b>TOTAL</b>		<b>16</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 WARREN		
Rank	Cause	#
1	Fall, Unintentional	122
2	Unspecified, Unintentional	15
3	Other spec/class, Unintentional	5
4	MVT, Unintentional	4
5	Overexertion, Unintentional	3
	Other	10
<b>TOTAL</b>		<b>159</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 WARREN		
Rank	Cause	#
1	Fall, Unintentional	168
2	Unspecified, Unintentional	25
3	MVT, Unintentional	17
4	Other spec/class, Unintentional	14
5	Struck, Unintentional	11
	Other	31
<b>TOTAL</b>		<b>266</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 WASHINGTON		
Rank	Cause	#
1	Fall, Unintentional	2
2	Unspecified, Unintentional;	1
3		
4		
5	Other	0
<b>TOTAL</b>		<b>6</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 WASHINGTON		
Rank	Cause	#
1	Fall, Unintentional	76
2	Poisoning, Unintentional; MVT,	9
3	Unspecified, Unintentional	6
4	Other spec/class, Unintentional	4
	Struck, Unintentional; Other	1
	spec/notclass, Unintentional;	
	Natural/Environ, Unintentional;	
	Machinery, Unintentional;	
5	Fire/Burn, Unintentional	
	Other	0
<b>TOTAL</b>		<b>109</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 WASHINGTON		
Rank	Cause	#
1	Fall, Unintentional	58
2	MVT, Unintentional	18
3	Unspecified, Unintentional	11
4	Overexertion, Unintentional	5
	Struck, Unintentional; Other	4
	spec/class, Unintentional;	
	Natural/Environ, Unintentional;	
	Cut/pierce, Unintentional	
5	Other	5
<b>TOTAL</b>		<b>113</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 WATAUGA		
Rank	Cause	#
1	Fall, Unintentional	16
2	MVT, Unintentional	8
3	Unspecified, Unintentional;	2
4	Suffocation, Self inflicted; Poisoning,	1
5	Other	0
<b>TOTAL</b>		<b>36</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 WATAUGA		
Rank	Cause	#
1	Fall, Unintentional	311
2	Unspecified, Unintentional	25
3	Other spec/class, Unintentional	10
4	Suffocation, Unintentional;	9
5	Natural/Environ, Unintentional	6
	Other	20
<b>TOTAL</b>		<b>399</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 WATAUGA		
Rank	Cause	#
1	Fall, Unintentional	807
2	Cut/pierce, Unintentional	75
3	Unspecified, Unintentional	70
4	Struck, Unintentional	63
5	Overexertion, Unintentional	58
	Other	222
<b>TOTAL</b>		<b>1,295</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 WAYNE		
Rank	Cause	#
1	Fall, Unintentional	17
2	Unspecified, Unintentional	12
3	Suffocation, Unintentional	11
4	Firearm, Self inflicted	10
5	MVT, Unintentional	9
	Other	10
<b>TOTAL</b>		<b>69</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 WAYNE		
Rank	Cause	#
1	Fall, Unintentional	763
2	Unspecified, Unintentional	281
3	MVT, Unintentional	51
4	Poisoning, Unintentional	43
5	Other spec/class, Unintentional	38
	Other	111
<b>TOTAL</b>		<b>1,287</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 WAYNE		
Rank	Cause	#
1	Fall, Unintentional	2,522
2	Unspecified, Unintentional	567
3	MVT, Unintentional	308
4	Struck, Unintentional	174
5	Other spec/class, Unintentional	160
	Other	633
<b>TOTAL</b>		<b>4,364</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 WILKES		
Rank	Cause	#
1	Fall, Unintentional	12
2	Unspecified, Unintentional	8
3	MVT, Unintentional; Firearm, Self	6
4	Poisoning, Unintentional	3
5	Struck, Unintentional	2
	Other	4
<b>TOTAL</b>		<b>41</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 WILKES		
Rank	Cause	#
1	Fall, Unintentional	548
2	Unspecified, Unintentional	62
3	MVT, Unintentional	26
4	Poisoning, Unintentional	20
5	Other spec/class, Unintentional	16
	Other	79
<b>TOTAL</b>		<b>751</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 WILKES		
Rank	Cause	#
1	Fall, Unintentional	385
2	MVT, Unintentional	61
3	Unspecified, Unintentional	48
4	Struck, Unintentional	22
5	Natural/Environ, Unintentional	21
	Other	71
<b>TOTAL</b>		<b>608</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 WILSON		
Rank	Cause	#
1	Fall, Unintentional	32
2	Suffocation, Unintentional	7
3	MVT, Unintentional	6
4	Unspecified, Unintentional	5
	Poisoning, Unintentional; Natural/Environ, Unintentional;	2
5	Firearm, Self inflicted Other	5
<b>TOTAL</b>		<b>61</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 WILSON		
Rank	Cause	#
1	Fall, Unintentional	603
2	Unspecified, Unintentional	83
3	MVT, Unintentional	33
4	Other spec/class, Unintentional Poisoning, Unintentional	27 11
5	Other	53
<b>TOTAL</b>		<b>810</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 WILSON		
Rank	Cause	#
1	Fall, Unintentional	1,402
2	Unspecified, Unintentional	228
3	MVT, Unintentional	146
4	Overexertion, Unintentional Cut/pierce, Unintentional	118 92
5	Other	302
<b>TOTAL</b>		<b>2,288</b>

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 YADKIN		
Rank	Cause	#
1	Fall, Unintentional	9
2	MVT, Unintentional	5
3	Unspecified, Unintentional;	3
4	Natural/Environ, Unintentional;	1
5	Other	0
<b>TOTAL</b>		<b>23</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 YADKIN		
Rank	Cause	#
1	Fall, Unintentional	342
2	Unspecified, Unintentional	38
3	Poisoning, Unintentional	11
4	MVT, Unintentional	10
5	Natural/Environ, Unintentional Other	9 49
<b>TOTAL</b>		<b>459</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 YADKIN		
Rank	Cause	#
1	Fall, Unintentional	699
2	Unspecified, Unintentional	89
3	Struck, Unintentional	66
4	MVT, Unintentional	52
5	Cut/pierce, Unintentional Other	50 170
<b>TOTAL</b>		<b>1,126</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.

Leading Causes of Injury Death AGES 65 & Over: 2007 to 2009 YANCEY		
Rank	Cause	#
1	Fall, Unintentional	6
2	Unspecified, Unintentional; Firearm,	3
3	Suffocation, Unintentional;	1
4		
5		
	Other	0
<b>TOTAL</b>		<b>15</b>

Leading Causes of Injury Hospitalization** AGES 65 & Over: 2007 to 2009 YANCEY		
Rank	Cause	#
1	Fall, Unintentional	206
2	Unspecified, Unintentional	17
3	Poisoning, Unintentional	10
4	Other spec/notclass, Unintentional	8
5	MVT, Unintentional	7
	Other	27
<b>TOTAL</b>		<b>275</b>

Leading Causes of Injury ED Visits** AGES 65 & Over: 2007 to 2009 YANCEY		
Rank	Cause	#
1	Fall, Unintentional	245
2	Unspecified, Unintentional	17
3	MVT, Unintentional	16
4	Struck, Unintentional; Poisoning,	11
5	Cut/pierce, Unintentional	6
	Other	27
<b>TOTAL</b>		<b>344</b>

\* NC Residents based on county and state

\*\*Excluding adverse effects within healthcare settings and missing Ecodes.